maintenance and improvement. Gravel surfacing 16 feet wide and, marring with the character of the soil, from 12 to 20 inches in depth varying cents per linear foot or annual to 20 inches in depth varying and the control of the son, from 12 to 20 inches in depth cost 60 cents per linear foot, or approximately 81 cents per cubic cost of gravel in place. The average cost of maintenance and small parts amounted to \$166.30 per mile repairs amounted to \$166.30 per mile.

Route 13B—Bessie-Banner Road (3.5 miles).—General repairs and

maintenance averaged \$79.48 per mile.

Route 13 C—Bessie-Little Creek Road (1.25 miles).—General repairs

maintenance averaged \$151.52 per mile. Route 13D—Bessie-Dry Creek Road (1.25 miles). Route 13E—Dry Creek-Newton Road (0.3 miles). No work was done on these routes during the year.

Route 13F-Nome-Osborne Road (8 miles).—The repairs to this road were confined to urgently necessary repairs to culverts and to the clearing of the ditches. The cost of the work averaged \$46.50

Route 13G-Grass Gulch Road (1.75 miles).—No work was done on

this road during the year.

Route 13H—Center Creek Road (1.6 miles).—Five hundred feet of new road was constructed as an extension to this route. The road was built by laying gravel from adjacent tailing piles to a depth of about 12 inches and a width of 12 feet, and plowing ditches on each side. The cost of the work averaged 60 cents per linear foot of road. The cost of general repairs to and maintenance of the remainder 300.00 + 270.00 of the road averaged \$175 per mile.


Route 13I—Nome River Road (5 miles).—The only work done on this road during the year was cleaning the culverts during the spring break-up. The cost of this work averaged \$16.20 per mile. A ferry was constructed beyond the present limits of the constructed road and charged to this route. The ferry was located near the site of the former railroad bridge on Nome River. The scow is 18 by 5 feet by 20 inches and was built at a cost of \$120. The cost of installing the ferry and grading the approaches amounted to \$79.75. These expenditures are in addition to the time of the ferryman, who gave his labor for the privilege of operating the ferry. This road will require considerable improvement this year.

Route 13J—Wonder-Flat Creek Road (2 miles).—The cost of general repairs and maintenance work on this route averaged \$40.37 per mile. Route 13 K—Bessie-Buster Road (7.6 miles).—The work of the year was confined to repairs to the 2.5 miles of section between Bessie and Dexter Summit. The cost of the work averaged \$184.80 per mile.

Route 18—Kaltag-Solomon Trail (248 miles).—The permanent staking on this trail has been badly damaged at various times by the ocean storms, which drives the waves over the trail in many places, washing out the stakes and obstructing the trail with driftwood. Permanent wooden stakes were set every 100 feet from Nome 33 miles eastward. The stakes were chiefly sawed lumber 1 by 3 inches in dimensions, but driftwood was used when available. The cost of the work is given below. The item 'labor' includes the labor of

clearing away driftwood, which was done in conjunction with setting the stakes.





THE TANANA, McCARTY.

BOARD OF ROAD COMMISSIONERS FOR ALASKA.

453 pieces 1 by 3 inches by 14 feet (1,515.5 feet b. m.). Freight on above from Nome. Labor Hire of animals.	542. 176	50 T	I
Total	820.	73	

The section of the trail from Walla Walla to Bonanza was staked over the ice with 3 inch spruce stakes 9 feet long, at an average cost of \$4 per mile. Similar staking over Golofnin Bay cost \$3.34 per mile. The land trail from Bluff to the head of Norton Bay was cleared and staked at the following average cost per mile:

22 miles, clearing through brush and permanent staking	\$9.50
11 miles, clearing through willow and small spruce	5.45
4.2 miles, clearing through driftwood and débris	27.45
Repairing small bridge and 1 mile of guardrail	25. 24
Three light pole bridges 20 feet long and 8 feet wide averaged, each	25.00

Route 21—Unalaklik-St. Michael Trail (65 miles).—The trail across the bay from St. Michael to the 5-mile point was staked by by the quartermaster at Fort St. Michael with stakes furnished by the board. The description and cost of stakes is given under "Flagging trails."

Route 25A—Cripple River Road (13.5 miles, total A and B).

Route 25B—Penny River Road.

Route 25 C—Nome-Wireless Road (0.25 miles).

No work was undertaken on these routes during the year.

Route 25D—Mouth of Center Creek Road (2 miles).—The work the year included minor repairs and the construction of 1,875 lines. feet of new road, of which 1,000 feet is a branch. The work colling sisted of ditching and surfacing with gravel hauled from mine tailing piles. The cost of the work averaged \$1,452 per mile.

Route 25 E—Submarine Pay Streak Road (1 mile).—No work 1. done on this route, as its improvement is considered advisable only in connection with more extensive construction that can not be

undertaken with the present funds.

Route 25 F—Anvil-Glacier Road (3 miles).—The work of the real included the maintenance of and repairs to 1.5 miles of this road

The work averaged \$242.12 per mile in cost.

Route 25G—Snake River Extension Road (3 miles).—The work the year included general repairs and the improvement of approx mately 1 mile by laying willow corduroy and surfacing with gravel. The total cost amounted to \$2,901.32.

A suspension foot bridge, with a span of 200 feet, was constructed the Spake River of the month of B on Snake River at the mouth of Boulder Creek. The cost of bridge was \$180.10

bridge was \$180.10.

An extension of road to Bangor Creek, a distance of approximately 4 miles, is contemplated as soon as funds can be made available. Route 25 H—Otter Creek Road (1.25 miles)—No work was under ken on this route during the

taken on this route during the year.

Route 26—Candle-Candle Creek Road (5 miles).—Two thousand six hundred linear feet of willow corduroy with gravel surfacing is laid on this route this year. The cost of its laid on this route this year. The cost of the work averaged \$5,910 per mile, the high cost being largely per mile, the high cost being largely due to the long distance gravel had to be hauled, but partly to the high cost of labor and plies in the Candle Creek mining across plies in the Candle Creek mining camp. Four culverts were

structed, at a cost of \$5.90 each, and a small bridge c cost \$96.84.

Route 27—Deering-Inmachuck Road (25 miles).—four hundred and twenty linear feet of willow cordui surfacing was laid during the year. The cost of the surfacing averaged \$4,224 per mile. The ditching mile. This work was made necessary by a relocation town of Deering. The work also necessitated moving the lagoon, which was accomplished at a cost of \$257.

Route 28—Dahl Creek-Candle Trail (140 miles).—No on this route during the year. Except between (Inmachuck, the travel over this trail is very light.

Route 37—Topkok-Candle Trail (141 miles).—The v

consisted of repairs to the permanent staking and ten or flagging, as described under "Flagging trails," where staking has been badly damaged. The cost of the \$2.95 per mile over the entire route.

Route 41—Klery Creek Road (0.75 mile). Route 42—St. Michael-Kotlik Trail (approximately No work was done on either of these routes during Flagging trails.—Routes of travel not permanentl flagged for the guidance of travel during the past flagging on routes regularly used and partly staked stakes has been noted under the several routes cor routes, owing to their brief importance or to the vari to year of the most suitable line of travel, depending ditions, are flagged each year instead of being perman

The cost of the preparation of the lath and streame

year is as follows:

209 bundles of lath, 100 per bundle				
923 yards red calico at 7 cents and 300 yards at 8; Cutting and sewing 20 900 streamers	 		 	٠.
1901s.	 		 	
Tacks are streamers to lath	 	٠.	 	
Haulin rope for tying bundles	 		 	
Tacks and rope for tying bundles. Hauling material.	 		 	

Total (20,900 flags)

The trails temporarily staked were as follows, the case being approximate:

Kiana-Klery Creek, 9 miles, staked with spruce staked including stakes, \$16.50 per mile. Davidson's Landin 50 miles (the stakes were furnished gratis by Mr. I cost of placing stakes, \$1 per mile. Teller-Cape Wataked with flags; cost of freight on flags and labor of per mile. per mile. Teller-Hot Springs, 60 miles, staked w and willow stakes; cost, \$1 per mile. Isaacs Point-Ko Mount staked with spruce stakes; cost, \$4.32 per mile Mountain, 18 miles, staked with flags; cost, \$3 per mately 100 miles of local trails in the vicinity of Nowith 100 miles of local trails in the vicinity of Nowith 100 miles of local trails in the stakes her without charge by interested persons, the stakes bei the board. The total mileage of temporary staking noted under the several numbered routes, amount mately 465 miles, and the average cost was \$3.34 per

D COMMISSIONERS FOR ALASKA.
et (1,515.5 feet b. m.). \$75.78 28.45 542.50 176.00
820.73
pruce stakes 9 feet long, at an average cost staking over Golofnin Bay cost \$3.34 per om Bluff to the head of Norton Bay was following average cost per mile:
and permanent staking \$9.50 ow and small spruce 5, 45 wood and débris 27, 45 nile of guardrail 25, 25 long and 8 feet wide averaged, each 25, 00
St. Michael Trail (65 miles).—The trail Michael to the 5-mile point was staked by t Fort St. Michael with stakes furnished by iption and cost of stakes is given under
liver Road (13.5 miles, total A and B). were Road.
ken on these routes during the year. f Center Creek Road (2 miles).—The work of repairs and the construction of 1,875 linear hich 1,000 feet is a branch. The work conurfacing with gravel hauled from mine tailing work averaged \$1,452 per mile. The Road Streak Road (1 mile).—No work was
its improvement is considered advisable only ore extensive construction that can not be
resent funds. lacier Road (3 miles).—The work of the year unce of and repairs to 1.5 miles of this road. 242.12 per mile in cost.
River Extension Road (3 miles).—The work of eral repairs and the improvement of approxing willow corduroy and surfacing with gravel
ridge, with a span of 200 feet, was constructed the mouth of Boulder Creek. The cost of the

d to Bangor Creek, a distance of approximately ed as soon as funds can be made available.

aring the year. Creek mining camp. Four culverts were con

ted, at a cost of \$5.90 each, and a small bridge over Mud Creek \$96.84.

Poute 27—Deering-Inmachuck Road (25 miles).—Two thousand hundred and twenty linear feet of willow corduroy with gravel facing was laid during the year. The cost of the corduroy and facing averaged \$4,224 per mile. The ditching cost \$892 per This work was made necessary by a relocation just out of the of Deering. The work also necessitated moving a bridge over lagoon, which was accomplished at a cost of \$257.10.

Route 28—Dahl Creek-Candle Trail (140 miles).—No work was done this route during the year. Except between Candle and the machuck, the travel over this trail is very light.

Route 37—Topkok-Candle Trail (141 miles).—The work of the year consisted of repairs to the permanent staking and temporary staking flagging, as described under "Flagging trails," where the permanent taking has been badly damaged. The cost of the work averaged 95 per mile over the entire route.

Route 41—Klery Creek Road (0.75 mile). Route 42—St. Michael-Kotlik Trail (approximately 70 miles). No work was done on either of these routes during the year.

Flagging trails.—Routes of travel not permanently marked were fagged for the guidance of travel during the past winter. Some fagging on routes regularly used and partly staked with permanent stakes has been noted under the several routes concerned. Other toutes, owing to their brief importance or to the variation from year to year of the most suitable line of travel, depending on weather con-

litions, are flagged each year instead of being permanently staked. The cost of the preparation of the lath and streamer flags used this vear is as follows:

109 bundles of lath, 100 per bundle. \$313.50 123 yards red calico at 7 cents and 300 yards at 81 cents. 89.63 Cutting and sewing 20,900 streamers.

Tacking streamers to lath.

Tacks and rope for tying bundles.

Hauling material. 10.45 Total (20,900 flags).... Per hundred 3.26

The trails temporarily staked were as follows, the mileage in each

case being approximate:

Kiana-Klery Creek, 9 miles, staked with spruce stakes; total cost including stakes, \$16.50 per mile. Davidson's Landing-Taylor Creek 50 miles (the stakes were furnished gratis by Mr. D. W. Johnson); cost of placing stakes, \$1 per mile. Teller-Cape Wooly, 40 miles, staked with flags; cost of freight on flags and labor of placing, \$3.75 per mile. Teller-Hot Springs, 60 miles, staked with cottonwood and willow stakes; cost, \$1 per mile. Isaacs Point-Koyukuk River, 14 'reek Road (1.25 miles)—No work was under miles, staked with spruce stakes; cost, \$4.32 per mile. Chinik-White Mountain, 18 miles, staked with flags; cost, \$3 per mile. Approxi-Candle Creek Road (5 miles).—Two thousand mately 100 miles of local trails in the vicinity of Nome were staked et of willow cordurory with gravel surfacing was without charge by interested persons, the stakes being furnished by year. The cost of the work averaged \$5,910.1 the board. The total mileage of temporary staking, including that ost being largely due to the long distance the noted under the several numbered routes, amounted to approxically but partly to the high cost of labor and surmately 465 miles, and the average cost was \$3.34 per mile.

Wagon ro

and trai

1,14

26 99 299 90 63 42 74 2,61 4,79 2,23 3,71 37 37 4,38 4,38

11

Routes, etc. Route 19. Route 21. Route 22. Route 24. Route 22 Route 24 Route 25 Route 25 Route 25C Route 25C Route 25C Route 25C Route 25F Route 25G Route 25G Route 25, Sinrock Ferry Route 26 Route 27 Route 27 Route 28 Route 30 Route 37 Route 30 Route 38 Route 38 Route 38 Route 38 Route 39 Route 40 Nizina Bridge Flagging trails Route 42 Route 43 Dike Autotrucks Chisana Trail Taylor Creek Bridge Skagway survey Vaidez Fairbanks survey Mineral Creek Trail Nizina Trail

DISTRICTION OF EXPENDITURE

DISTRIBUTION OF EXPENDITURE
I. Construction, repairs, and maintenance, roads, etc.:
Salaries, wages, and other compensation, person
Compensation for services other than personal-
Transportation of persons.
Subsistence of persons in traveling status.
Subsistence of persons not in traveling state
Transportation of things, freight, etc
Subsistence and care of animals
Cummunication service (telegraph, telephon
Printing, maps, etc
Furnishing electric light
Other nonpersonal service (hire of horses at
Materials for bridges, culverts, etc
Supplies—
Stationery and drafting supplies
Fuel (coal and wood)
Cleaning and toilet supplies
Forage and other supplies for animals
II. Repair of property and equipment used:
Salaries, wages, and other compensation, person

Salaries, wages, and other compensation, person Services. nonpersonal..... Materials.... Supplies.

Total.....

STATEMENT OF RECEIPTS AND DISBURSEMENTS.

This report covers vouchers received and placed in the account, including June 30, 1915.

meduling built 50, 1515.	
Balance on hand July 1, 1914: Appropriation "Military and post roads, bridges and trails" (act Mar. 2, 1913)	\$1,838.28
Alaska fund	4,524.25
Received from the Treasurer of the United States: Appropriation "Military and post roads, bridges and trails" (act Apr.	
27, 1914)	125,000.00
	171, 824.31
Corrections of vouchers: Alaska fund	43, 40
Special appropriations	14.00
Sales of property, Alaska fund.	827.14
Total	304, 071, 38
Deposited to credit Treasurer of the United States	
	304, 058.38
Disbursed as per tabulated statement below	284, 755.12
Balance cash on hand	19, 303. 26

Expenditures in detail.

Routes, etc.	Wagon roads, bridges, and trails, Alaska fund.	Construction and maintenance of military and post roads, bridges, etc., Alaska.	Total.
Offices Route 2. Route 3. Route 4A. Route 4B, first section Route 4B, second section Route 4C. Route 4D. Route 4C. Route 4F. Route 4F. Route 4F. Route 4H, first section Route 4H, first section Route 4H, second section Route 4H, second section Route 4J. Route 4J. Route 6A. Route 6B. Route 6B. Route 7A. Route 7C. Route 1A. Rou	\$9, 405. 97 2, 293. 73 514. 82 905. 21 8, 525. 53 5, 761. 26 1, 926. 67 5, 705. 85 3, 224. 01 2, 438. 57 2, 193. 80 9, 194. 95 15, 389. 90 9, 194. 95 15, 545. 06 6, 849. 50 1, 621. 42 4, 260. 45 8, 315. 95 509. 48 303. 80 113. 00 2, 795. 43 431. 17 287. 32 981. 86 63. 00 931. 40 124. 05 268. 50 109. 00 169. 25 199. 75 184. 00	\$4,547.37 3,826.03 1,527.66 2,1.00 11,859.22 9,679.61 3,588.08 1,564.86 5,158.03 1,924.81 9,978.30 4,215.12 5,106.94 4,368.90 3,899.30 4,168.99 53.75 10.00 10.00 31.25 638.96 10.00 5,406.95 416.50 2,775.00 513.96 2,971.85 71.50 14.40 299.90 492.10 23.00 41.00	\$13,41928.440.757170.2848.2345.4828.245.245.245.245.245.245.245.245.245.245
Route 13K	50.00	381. 25	401.

COMMISSIONERS FOR ALASKA.

RECEIPTS	AND	DISBURSEMENTS.
----------	-----	----------------

hers	received	and	placed	in	the	account
------	----------	-----	--------	----	-----	---------

d post roads, bridges and trails" (act	\$1,838
1 to -1 building and traile? (not Ann	\$1, 838. 28 4, 524. 25
1 post roads, bridges and traits (act Apr.	$\frac{125,000.00}{171,000.00}$
	43.40

$\begin{array}{c} 43, 40 \\ 14, 00 \\ 827, 14 \\ \hline \\ \text{the United States} \\ \\ \text{ment below}. \\ \\ \\ \\ 4304, 071, 38 \\ 13, 00 \\ \hline \\ \\ 304, 058, 38 \\ 284, 755, 12 \\ \hline \end{array}$

Expenditures in detail.

Wagon roads, bridges, and trails, Alaska fund.	Construction and maintenance of military and post roads, bridges, etc., Alaska.	Total.
\$9, 405. 97 2, 293. 73 514. 82 905. 21 8, 525. 53 5, 761. 26 1, 926. 67 5, 705. 85 3, 254. 01 2, 438. 57 2, 193. 80 15, 389. 90 194. 95 15, 545. 06 6, 849. 50 5, 590. 39 1, 621. 42 4, 260. 45 8, 315. 95 1, 621. 42 4, 260. 45 8, 315. 95 1, 621. 42 1, 220. 45 8, 315. 95 1, 621. 42 1, 287. 32 2, 795. 43 2, 795. 43 2, 795. 43 3, 622. 22 4, 397. 11 287. 32 981. 86 63. 00 931. 40 124. 05	9,679.61, 3,588.08 1,564.86 5,158.03 1,924.81 99.66 4,167.12 9,078.30 4,215.12 5,106.94 4,368.90 4,168.99 53.75 10.00 31.25 638.96 10.00 5,406.95 416.50 2,775.00 2,775.00 2,775.00	\$13,953.34 6,119.76 2,012.45 19,834.75 15,440.75 7,270.71 8,412.44 4,363.38 19,557.02 18,273.31 11,956.44 9,959.29 1,621.42 8,159.55 12,434.94 632.22 9,804.06 622.45 3,434.39 632.22 9,804.06 847.67 3,063.32 981.86 576.96
268. 50 109. 00 169. 25 199. 75 184. 00 50. 00	14. 40 299. 90 492. 10 23. 00 41. 00 381. 25	282, 90 408, 90 661, 35 222, 75 225, 00 431, 25

Expenditures in detail—Continued.

Routes, etc.	Wagon roads, bridges, and trails, Alaska fund.	Construction and maintenance of military and post roads, bridges, etc., Alaska.	Total.
Route 14- Route 15- Route 16- Route 17-	\$3,452.57 387.44 346.50	\$90.00 4,235.40	\$90,00 7,687,97 387,44 356,50
8016 19. R016 21. R016 21.	540.49 219.00 1,144.58	488.50 2,398.63	1,058.00 1,028.99 219.00 3,543.21
Route 25. Route 25. Route 25.C	33.50 25.00 62,25	208. 80 60. 30 7. 50	242.30 60,30 7.50 25,00 62.25
Route 25 F. Route 25 G. Route 25, Sinrock Ferry	90, 43 292, 93 907, 30 633, 05	350.75 2,770.43 150.00 2,319,63	441. 18 3, 063. 36 1, 057. 30 2, 952, 68
Route 3/B	749. 37 2,619. 48 675. 98	2,484.68 1,805.06 3,982.01	2,906.12 2,554.43 2,619.48 4,657.99
Route 38. Route 40. Route 40.	4,994.18 2,519.78 102.74 2,233.86	3,871.02 727.78 2,689.30	8, 865, 20 3, 247, 56 2, 792, 04 2, 233, 86
flagging traus. Route 42 Route 43 Pike	3,710.99 375.50 35.25 863.52 4,353.48	548. 40 414. 63 1,300. 60	4, 259. 39 375. 50 35. 25 1, 278. 15 5, 654. 08
Chisana Trail. Taylor Creek Bridge. Skagway survey. Taylor Rairbanks survey	1,081.02 31.25 472.20 494.03	14.00 91.00 145.50 1,900.44	1,095.02 122.25 617.70 2,394.47
Nineral Creek Trail Ninna Trail Route 45.	112, 15 52, 00	515.50 697.05	515, 50 809, 20 52, 00
Total	157, 915. 84	126, 839. 28	284, 755. 12

DISTRIBUTION OF EXPENDITURES.

I. Construction, repairs, and maintenance, roads, etc.:	
Salaries, wages, and other compensation, personal service	\$178,908.64
Compensation for services other than personal—	•
Transportation of persons	2,101.85
Subsistence of persons in traveling status	1, 770, 74
Subsistence of persons not in traveling status	9, 371, 39
Transportation of things, freight, etc.	
Subsistence and care of animals.	825. 68
Cummunication service (telegraph, telephone, and postage).	
Printing, maps, etc	40. 28
Furnishing electric light	
Other nonpersonal service (hire of horses and dogs)	14, 674. 24
Materials for bridges, culverts, etc	10, 161. 57
Supplies—	10, 101. 57
	974 70
Stationery and drafting supplies	374. 79
Fuel (coal and wood)	1, 514. 26
Cleaning and toilet supplies	39. 38
Forage and other supplies for animals	14, 402. 30
Provisions.	19, 329, 16
II. Repair of property and equipment used:	,
Salaries, wages, and other compensation, personal services	120.15
Services, nonpersonal	498, 90
Materials	494, 47
Supplies	711. 06
oupprob	111,00

ANNUAL REPORT OF THE

pard of Road Commissioners for Alaska

1916



WASHINGTON
GOVERNMENT PRINTING OFFICE

Route 6A-Willow Creek-Tonsina Road (24 miles).—General repairs and maintenance constituted the chief work of the year on this pane, and embraced filling ruts and leveling road with a road maroute, removing windfalls and arbeits! removing windfalls and rebuilding culverts which had been thine, and by fire. In addition 100 li destroyed by fire. In addition, 190 linear feet of log cribbing was destructed, on the grade 1 mile from the Tonsina River, to protect the road from drifting sand; the cost of this work was \$462.

The total cost of work on this route averaged \$61.96 per mile. Route 6B-Tonsina-Chitina Road (15 miles).—The usual maintepance and repair work was performed on this section in 1915, and in

addition the following improvements were made:

A substantial surfacing of gravel and broken rock, 6 to 10 inches in depth and 9½ to 12 feet wide, was laid on 6,705 linear feet of road at an average cost of \$719.24 per mile. Twenty-four culverts, with at total length of 149 feet, were constructed, at a cost of \$2.03 per linear foot. Two miles of side hill cut was widened 4 feet, at a cost

A low brush and gravel dike, 272 feet in length, was constructed across the head of a slough of the Tonsina River, above the bridge, to divert into the main channel a flow which was threatening the

road. This dike cost \$675.50.

The total cost of all work on this route was \$8,040.29.

SOUTHWESTERN DISTRICT.

(Mr. ANTON EIDE, Superintendent.)

Route 10-Seward-Kenai Lake Road (14 miles).—Maintenance work by the board on this route was confined to the early part of the vear, and included minor repairs to bridges, removing driftwood from

bridges, and repairing corduroy.

During October and November, 1915, \$3,400 was expended on this route by the Territorial road commissioner for the third judicial division, under the immediate supervision of Mr. Eide. The work was done by contract, and embraced relocating on the right of way of the Government railroad, approximately 1.8 miles of the road between mileposts 1 and 3, and straightening, widening, and repairing the old road between mileposts 3 and 5.

In May of this year the work of reconstructing the pile bridge over Resurrection River was commenced. Three 75-foot truss spans were erected over the main stream, and the south pile trestle approach was extended 200 feet. The cost of this work to June 30 was \$2,616.10. The bridge was completed in August at a total cost of

approximately \$4,700.

Route 12—Mile 34 A. N. R. R.-Hope Road (31 miles road, 9 miles sled road).1—The year's work on this route was entirely maintenance, and comprised the removal of fallen trees, repairing culverts and

corduroy, and cleaning out cuts.

Route 19—Kern Creek-Knik Trail (86 miles).—About 13 miles of this trail, following the steep slopes of the mountains along Turnagain Arm, through heavy vegetation, was seriously damaged during the summer of 1915 by forest fires, which destroyed the greater part of

¹The mileage of this route has been erroneously carried in previous reports as 40 miles road.

the retaining walls and bridges. The work of repair was carried on during September and October, 1915, at an average cost of \$178.26

per mile for the 13 miles covered.

Travel over this route during the past winter was unusually heavy, owing to increases in the mail service and in the activities of the Alaskan Engineering Commission, making some additional work necessary to improve the trail, and keep it free from snowslides and dangerous ice formations. This work covered 34 miles and cost \$30.41 per mile.

Route 20A—Knik-Susitna Trail (30 miles).—The work done on this route covered 15 miles and comprised the removal of windfalls and a small amount of grading. The total expense for the section

worked over averaged \$13.35 per mile.

Route 20B—Sustina-Rainy Pass Trail (127 miles).—The only work done on this route during the year was the relocation of about 1 mile of trail between Happy River and Rainy Pass to eliminate several severe grades.

Route 20C—Rainy Pass-Tacotna Trail (130 miles). Route 20D—Tacotna-Kaltag Trail (145 miles).

No work was undertaken on these routes during the year.

Route 24—Mile 29 A. N. R. R.-Moose Pass Road (15 miles road, 14.5 miles sled road).—The work of the year was devoted to the improvement of the first 15 miles of this route to wagon road standards, at a cost of \$520.76 per mile. The average unit costs were:

Clearing and grubbing, per acre	\$150.00
Excavation, rock, per cubic yard	1.50
Corduroy, per linear foot.	. 42
Culverts, each	6.00

Route 32A—Tacotna-Flat Creek Trail (87 miles).—No work was

done on this route during the year.

Route 35—Knik-Willow Creek Road (34 miles road, 1½ miles sled road).—The work on this route during the year was limited to necessary maintenance, including cleaning out ditches, constructing new culverts, and laying 1,167 linear feet of corduroy.


An expenditure of \$300 was made in constructing a branch sled road, 1.5 miles long, from mile 32 up the Little Susitna Valley, to serve a number of mines and prospects in process of development in the Archangel Creek Valley.

YUKON DISTRICT.

(Mr. R. J. SOMMERS, Superintendent.)

Route 4J—Richardson-Salchaket Road (30 miles).—The work on this route during the year was chiefly maintenance, including repairing and rebuilding culverts, cleaning out drainage ditches, and filling ruts. Between mileposts 301 and 302 a portion of the road was relocated in order to place it on higher ground and to eliminate a steep grade in sandy soil which had given much trouble. This relocation necessitated 4,400 feet of new construction, which cost \$2,116.35. Unit costs of the new work were:

Clearing and grubbing, per acre.	\$90.00
Ditching and grading, per linear foot.	.37
Corduroy, per linear foot.	. 00
Pole culverts, each.	10.00



OLE MARTIN BRIDGE. ROUTE 10, SEWARD-K

The cost of maintenance on the remainder of the road averaged

\$396.07 per mile.

Route 4K-Salchaket-Fairbanks Road (40 miles).—The work of the vear consisted chiefly of general repairs and maintenance covering the entire route, particular attention being devoted to culverts, bridges, and drainage ditches. A new ferry scow, 36 by 16 by 3 feet, was built at Salchaket at a cost of \$907.62, and an approach 16 feet wide and 100 feet long, built of logs and filled with brush and gravel, was constructed at a cost of \$218.50. During March of this year, a bridge was built over a slough at milepost 347 to replace an old bridge which had become unsafe. It consists of two 40-foot spans, with a $_{\rm cen}^{\rm tral}$ gravel-filled pier, and cost \$1,693.59.

The average expenditure for maintenance on this route was \$325.38

Route 5—Ester-Fort Gibbon Sled Road (148 miles).—The work of the past year on this route consisted of removing windfalls, grading approaches to streams not bridged, and the construction of 8 new bridges from 15 to 102 feet in length. The cost of the work averaged \$18.30 per mile.

Route 7A—Summit-Cleary Road (11 miles).

Route 7B—Fox-Olnes Road (13 miles).

Route 7 C—Summit-Foirbanks Creek Road (11 miles).

Route 7D—Ester Creek Road (13 miles). Route 7E—Vault Creek Road (2 miles).

Route 7 F—Vault Creek-Treasure Creek Road (1.5 miles). Route 7 G—Fairbanks-Gilmore Road (13 miles). Route 7 H—Little Eldorado Creek Road (1.5 miles).

Route 71—Gilmore-Summit Road (6 miles).

By an agreement with the Territorial road commissioner for the fourth judicial division, these routes, which, with 7J and 7K, comprise the local road system around Fairbanks, were turned over to him for maintenance. The expenditures by the board on these routes were for inspection trips by members and employees of the board and for the settlement of a claim for timber furnished in 1914 for rebuilding the Newcomb Slough Bridge.

Route 7.J—Fairbanks-Chena Hot Springs Sled Trail (64 miles).— The work of the year covered the entire route and comprised the repair of bridges and culverts, and the removal of windfalls, slides, and

Route 7 K—Olnes-Livengood Sled Road (54 miles).—Promising developments in the Tolovana mining district in 1914 and 1915 gave rise to a demand for better transportation facilities, and in response to this demand, a project was adopted for a sled road connecting Livengood with Fairbanks. After a preliminary reconnaissance of the available routes, that from Olnes, on route 7B, to Livengood was chosen. A location survey was made by Mr. R. A. Jackson in July and August, at a field cost of \$1,781.12, or \$33.10 per mile. Construction work was started in August and completed December 31. Permanent bridges were built over all streams except the Tolovana River. The total cost of the work, including the preliminary reconnaissance and the location, was \$17,056.30, of which \$4,997.50 was contributed by local interests through the Fairbanks Commercial Club. It is estimated that approximately 1,000 tons of freight passed over this road during the winter of 1915-16.

Route 9—Rampart-Eureka Road (6.5 miles road, 21.5 miles sled road).—Annual maintenance of the wagon-road section constituted the year's work on this route. Six hundred linear feet of cordurov was laid, bridges and culverts were repaired, and additional ditching was done where necessary. The average cost of the work was \$146.86 per mile for the 6.5 miles covered.

Route 11—Eagle-Fortymile road (19.5 miles road, 60 miles sled road).—Work done on this route during the year comprised ditching, filling ruts, repairs to bridges and culverts, and slight relocations of the road between mileposts 1-2 and 9-10, which resulted in a material

reduction of grade.

Route 15-Circle-Miller House Road (49 miles).-Annual maintenance on this route was performed in July and August and included laying 1,350 feet of corduroy and the construction of 124 culverts and 11 bridges, with an aggregate length of 380 feet. Cordurov in place cost 60 cents per linear foot. The average cost of the work was \$125

Route 16—Chatanika-Miller House Sled Road (81 miles).—The work of maintenance on this route was done during September and embraced the removal of slides and fallen timber and minor repairs to bridges. In addition, the Eagle and 12-mile summits were

permanently staked with tripods at 100-foot intervals.

Route 17-Fort Gibbon-Kaltag Trail (257 miles).—Work done on this route was confined to temporary staking for the guidance of winter travel. It was done by contract at a cost of \$300.

Route 17A—Lewis Landing-Dishkaket Trail (108 miles). Route 17B—Nulato-Dishkaket Trail (90 miles).

No work was done on these routes during the year.

Route 22—Hot Springs-Sullivan Creek Road (9 miles wagon road) 6 miles trail).—The work of the year on this route was entirely main; tenance and consisted chiefly of repairs to bridges, culverts, and corduroy.

Route 23A—Chatanika-Beaver Trail (120 miles). Route 23B—Beaver-Chandlar Sled Road (75 miles).

No work was undertaken on these routes during the year.

Route 29—Fort Gibbon-Koyukuk Trail (100 miles).—The new construction from Fort Gibbon to milepost 38 constituted the year's work on this route. All timbered sections were cleared to a width of 8 feet, and all open country was staked at intervals of 100 feet Stumps, niggerheads, and other obstacles to traffic were removed; and permanent bridges were built over all streams. Clearing and staking cost \$27.73 per mile, and the total expenditure averaged \$50.70 per mile.

Route 30—Hot Springs Landing-Eureka Road (32 miles).—The greater portion of the year's work was performed on the section from the steamboat landing to Hot Springs and embraced cleaning ditches and filling ruts, replacing corduroy, and repairing bridges and culverts. On the remainder of the road a small amount of work was done, consisting principally of repairs to bridges and culverts.

Route 31—Salchaket-Caribou Creek Sled Road (46 miles).—No work

was done on this route during the year.

Route 32B—Iditarod-Flat Creek Road (8 miles) Route 33A—Otter Creek Towpath (22 miles). Route 33B—Summit-Otter Creek Road (6 miles

The work of the year on these routes compr nance of the main Iditarod-Flat Creek Road. were repaired, 4,005 linear feet of corduroy was of road graveled. The work was done under United States Commissioner G. G. Geraghty. ture was \$3,970.88, including local donations hire to the extent of \$956.

Route 38—Ruby-Long-Cripple Trail (6 miles ro 60 miles trail).—Annual maintenance work on tion embraced repairing and cleaning out culve and filling all low places in the roadbed. We section covered 13 miles between mileposts 6 at the repair of side-hill cuts, which had been bar spring break-up and summer rains. A small a done in removing windfalls from the Long-Poori

The development of the mining districts tri been accompanied by a constantly increasing facilities for transportation. To meet this ne now in progress of improving to wagon-road sta

from milepost 6 to Long.

Bridge over Chena Slough, Fairbanks.—Early commenced on plans for a 300-foot-span stee. trusses, to be constructed over Chena Slough at ing the Valdez-Fairbanks Road with the Fairbanks the various mail routes leading out of Fairban construct a steel bridge of this length was reach study of local conditions. The possibility of I channel, allowing the use of wooden or combina length, was considered, but it was rejected because of constructing piers to withstand the extremel more particularly because of the necessity for free in order to prevent the formation of ice jam flooding of the city of Fairbanks.

The services of Mr. O. A. Hall as designing en and the work of designing was started in June, 1 the plans were more than 50 per cent complete in the fire which destroyed the offices of the b

as a result they were not finally completed until In March of this year a contract for the fabr tural steel was let to the Penn Bridge Co., Ber steel called for by this contract, together with material, has been delivered in Fairbanks, an structing the piers is now in progress. The br by hired labor during the coming winter.

NOME DISTRICT.

(Mr. DANIEL A. JONES, Superintendent.

Route 8-Nome-Council Road (approximately structed).—The work of the season on the Nom Was maintenance, and consisted of cleaning out

Road (6.5 miles road, 21.5 miles sled of the wagon-road section constituted Six hundred linear feet of corduroy were repaired, and additional ditching The average cost of the work was

niles covered.

road (19.5 miles road, 60 miles sled oute during the year comprised ditching, and culverts, and slight relocations of -2 and 9-10, which resulted in a material

louse Road (49 miles).—Annual mainformed in July and August and included and the construction of 124 culverts and e length of 380 feet. Corduroy in place The average cost of the work was \$125

ler House Sled Road (81 miles).-The s route was done during September and des and fallen timber and minor repairs the Eagle and 12-mile summits were pods at 100-foot intervals.

iltag Trail (257 miles).—Work done on temporary staking for the guidance of by contract at a cost of \$300.

g-Dishkaket Trail (108 miles).

äket Trail (90 miles). se routes during the year.

illivan Creek Road (9 miles wagon road, the year on this route was entirely main. fly of repairs to bridges, culverts, and

eaver Trail (120 miles). llar Sled Road (75 miles). on these routes during the year. oyukuk Trail (100 miles).—The new conon to milepost 38 constituted the year's imbered sections were cleared to a width entry was staked at intervals of 100 feet. other obstacles to traffic were removed. ere built over all streams. Clearing and nile, and the total expenditure averaged

Landing-Eureka Road (32 miles).—The s work was performed on the section from Iot Springs and embraced cleaning ditches corduroy, and repairing bridges and culof the road a small amount of work was of repairs to bridges and culverts. bou Creek Sled Road (46 miles).—No work ring the year.

Route 32B—Iditarod-Flat Creek Road (8 miles). Route 33A—Otter Creek Towpath (22 miles).
Route 33B—Summit-Otter Creek Road (6 miles).

The work of the year on these routes comprised general maintepance of the main Iditarod-Flat Creek Road. Bridges and culverts were repaired, 4,005 linear feet of corduroy was laid, and 2,885 feet of road graveled. The work was done under the supervision of United States Commissioner G. G. Geraghty. The total expenditure was \$3,970.88, including local donations of money and team

hire to the extent of \$956.

Route 38—Ruby-Long-Cripple Trail (6 miles road, 24 miles sled road, 60 miles trail).—Annual maintenance work on the wagon road section embraced repairing and cleaning out culverts, opening drains, and filling all low places in the roadbed. Work on the sled-road section covered 13 miles between mileposts 6 and 19 and comprised the repair of side-hill cuts, which had been badly damaged by the spring break-up and summer rains. A small amount of work was done in removing windfalls from the Long-Poorman Trail.

The development of the mining districts tributary to Ruby has been accompanied by a constantly increasing necessity for better facilities for transportation. To meet this necessity, the work is now in progress of improving to wagon-road standards the sled road

from milepost 6 to Long.

Bridge over Chena Slough, Fairbanks.—Early in 1915 work was commenced on plans for a 300-foot-span steel bridge, with Petit trusses, to be constructed over Chena Slough at Fairbanks, connecting the Valdez-Fairbanks Road with the Fairbanks local roads and the various mail routes leading out of Fairbanks. The decision to construct a steel bridge of this length was reached only after careful study of local conditions. The possibility of building piers in the channel, allowing the use of wooden or combination spans of shorter length, was considered, but it was rejected because of the difficulty of constructing piers to withstand the extremely heavy ice run, and more particularly because of the necessity for leaving the channel free in order to prevent the formation of ice jams and the consequent flooding of the city of Fairbanks.

The services of Mr. O. A. Hall as designing engineer were secured, and the work of designing was started in June, 1915. In July, when the plans were more than 50 per cent completed, they were burned in the fire which destroyed the offices of the board at Valdez, and

as a result they were not finally completed until November.

In March of this year a contract for the fabrication of the structural steel was let to the Penn Bridge Co., Beaver Falls, Pa. The steel called for by this contract, together with all other necessary material, has been delivered in Fairbanks, and the work of constructing the piers is now in progress. The bridge will be erected by hired labor during the coming winter.

NOME DISTRICT.

(Mr. DANIEL A. JONES, Superintendent.)

Route 8—Nome-Council Road (approximately 82 miles; 57 constructed).—The work of the season on the Nome-Fort Davis section was maintenance, and consisted of cleaning out ditches and culverts

Route 13J-Wonder-Flat Creek Road (2 miles).-Maintenance and improvement on this route included the construction of 925 linear feet of ditch and surfacing 3,050 linear feet with gravel. The total expenditure was \$641.

Route 13 K—Bessie-Buster Road (7.6 miles).—In addition to general maintenance work, five new culverts were constructed and 500 erai of gravel-surfaced willow corduroy was laid. The total cost was

Route 18—Kaltag-Solomon Trail (248 miles).—The work of the year included general maintenance of the entire route, in addition year to staking 38 miles of new trail, widening 12 miles of clearing through timber, and grading 1,080 feet of trail around the bluff east of Walla The total cost of the work averaged \$9.20 per mile.

Route 21—Unalaklik-St. Michael Trail (approximately 65 miles).-Eighteen miles of this trail was temporarily staked on the ice, and the permanent stakes on the remainder of the trail were repaired and replaced where necessary. A cable carrying a bos'n's chair was placed across the Klickatarick River at an expense of \$60, to afford a safe crossing for the mail in the early fall and late spring.

Route 25A—Cripple River Road (13.5 miles, total A and B).
Route 25B—Penny River Road.

Route 25 C—Nome-Wireless Road (0.25 mile).

No work was done on these routes during the year.

Route 25D-Mouth of Center Creek (2 miles). The work of the vear on this route was general maintenance including resurfacing 650 linear feet with gravel and cleaning and widening 1,545 linear feet of ditches. The total expenditure was \$602.84.

Route 25 E-Submarine-Paystreak Road (1 mile).—No work was

done on this route during the year.

Route 25 F—Anvil-Glacier Road (3 miles).—Maintenance and repair

work on 1½ miles averaged \$61.67 per mile in cost.

Route 25G—Snake River Extension Road (3 miles).—The work of the year on this route was devoted to general maintenance. The total expenditure was \$248.

The suspension footbridge over Snake River at the mouth of Boulder Creek was destroyed by ice during the spring; it will be

replaced this year.

Route 25H—Otter Creek Road (1.25 miles).—No work was under-

taken on this route during the year.

Route 25—Sinrock Ferry.—The total cost of maintaining and

operating this ferry was \$257.36.

Route 26—Candle-Candle Creek Road (5 miles).—This road is built on a hillside on the left bank of Candle Creek, over tundra which covers a glacial formation. A cross section exposed by the hydraulic operations of a mining company near the road shows 2 feet of moss and tundra, 40 feet of clear ice, and 6 feet of gravel overlying the bedrock. The only practicable construction on such a formation involves the use of willow corduroy with gravel surfacing. A portion of the road has been so constructed, and willows are now being cut for the continuance of the work. These willows will be hauled during the winter and the work of laying and surfacing will be undertaken next spring.

Route 27—Deering-Inmachuck Road (25 miles).—The original work on this route was very light, and for economy of construction the Inmachuck River was crossed and recrossed many times at fords which become impassable during high water. The work of the past year was devoted to the construction of short sections of road on the left bank to eliminate some of these crossings. One fill 625 feet long and averaging 2 feet in height was made, 1,235 linear feet of willow corduroy was laid, and 2,514 cubic yards of gravel was hauled for surfacing this cordurov and resurfacing other sections.

Route 28—Dahl Creek-Candle Trail (140 miles).—The work done on this route is included under flagging trails.

Route 37—Topkok-Candle Trail (141 miles).—One hundred and thirty-two miles of this route were covered in maintenance during the year. All broken permanent stakes were replaced, 16 miles of new trail was staked, 6½ miles of new trail cut through timber, and 3 miles of old trail cleared of willows. The expense averaged \$6.82 per mile for the distance covered.

Route 41—Klery Creek Road (0.75 mile).—No work was done on this route during the year.

Route 42—St. Michael-Kotlik Trail (approximately 70 miles).—
Temporary staking of portions of this route which are on the ice and not permanently staked, and inspection of the route cost \$504.30.

Taylor Creek Bridge.—The 160-foot suspension footbridge across Taylor Creek was taken out by the ice in the spring of 1916.

replaced in June at a cost of \$214.49.

Snake River Bridge.—In 1915 a project was adopted for a bridge over Snake River at Nome, consisting of two 100-foot combination Pratt truss spans, with 360 feet of pile trestle approaches. Construction was started in June, 1916, and the expenditure to the close of the fiscal year was \$2,357.82. The bridge has been completed, but no report has yet been received of the total cost.

Flagging Trails.—For the guidance of travelers during the winter months, the principal routes of travel in the Seward Peninsula which are not permanently marked are temporarily staked or flagged. The necessity for this work and the methods employed have been described in previous reports. During the past winter 540 miles of

trail were flagged, at an average cost of \$6.04 per mile.

STATEMENT OF RECEIPTS AND DISBURSEMENTS.

This report covers vouchers received and placed in the account. including June 30, 1916. Appropriation "Military and post roads, bridges, and trails" (act Mar. Corrections of vouchers: Alaska fund
Special appropriation
Sales of property, Alaska fund 6, 140. 25 354, 857, 62 300, 720, 62 54, 137. 28

Balance on hand.....



OLNES-LIVENGOOD SLED ROA



RESURRECTION BRIDGE, ROUTE 10, SEWARD A

$Expenditures\ in\ detail.$

Routes, etc.	Wagon roads, bridges, and trails, Alaska fund.	Construction and mainte- nance of mili- tary and post roads, bridges, etc., Alaska.	Total.
Offices.	\$8, 578. 27	\$9,800.02	\$18, 378. 29
Offices Route 1	217.75	4,952.78	5, 170. 53
Polte 2	4,582.37	4,099.40 3,774.97	8, 681. 77 5, 490. 7 4
Route 2 Route 3 Route 4A Route 4A	1,715.77 2,359.50	3,714.01	2, 359, 50
Route 4A.	5,000.00	12, 523. 05	2, 359. 50 17, 523. 05 11, 385. 58 5, 703. 30
Route 4B, second section	2,384.80	9,000.78	11,385.58
poute 4C	2,147.75	3,555.55 \ 5,118.32	5, 703. 30 12, 511. 01
Route 4D	7,392.69 2,925.75	164. 25	3,090.00
Route 4A. Route 4B, second section. Route 4B, second section. Route 4C. Route 4D. Route 4E. Route 4E. Route 4F.	2,878.52	5,658.78	8,537,30
	4, 102, 88	1,672.15 11,677.30	5, 775. 03 17, 932. 47
Double 4D, Mist Section		2,631.58	17,932.47
Route 4H, second section	15, 223, 11	2,980.23	18, 203, 34
Route 41	1,997.82	8,704.93	18, 203. 34 10, 702. 75
Route 4H, second section. Route 4I Route 4I Route 4K Valdez office addition.	6, 558. 26	9,058.16	15, 616. 42
Valdez office addition	154.63 2,200.67	737. 68 675. 87	892.31 2,876.54
BUILD 9	1 0=0 00	235.05	1, 487. 05
Route 6A Route 6B		3,440.51	8,040.29
Route 6B Route 7A.	1,742.41	113.50	1,855.91
Route / D.	1, 499. 27	2.00 12.50	1, 501. 27 12. 50
Route 7C. Route 7D.	5.00	12.50	17.50
Route 7D. Route 7D. Route 7G. Route 7J. Route 7K. Route 8. Route 9.	205.01	14.50	219.51
Route 7J.	64. 25	99.00	163. 25
Route 7K	4, 332. 14 1, 795. 20	7,726.66 6,284.41	12,058.80 8,079.61
Route 8.	109.08	845.53	954.61
Route 9		426.73	1,858.12
Route 12. Route 13.	223.00	1,078.25	1,301.25
Route 12	858.67 14.00	1,735.58	2, 594. 2 5 14. 00
Route 13A	439.62	123.90	563. 52
	125.00	231. 75	356. 75
Route 13C	185. 00 8. 50	363.00 145.75	548. 00 154. 25
Route 13D . Route 13F . Route 13F . Route 13H . Route 13I .	53.50	49.93	103. 43
Porte 13H	68.00		68.00
Route 13I	53.00	2, 162. 85	2, 215. 85
Route 13J	46. 75 85. 75	633. 50 420. 95	680, 25 506, 70
	70.08	1,447.52	1,517.60
n to 15	502.90	5,561.45	6, 124. 35
Danta 16	304. 50	170. 56	475. 06 737. 10
Route 17. Route 18.	737. 10 1, 267. 82	1,014.50	2, 282. 32
Dauta 10	1,173.04	2,304.45	3, 477. 49
Poute 20A	63. 90	192. 10	256.00
Route 20B	178. 30 136, 50	17. 60 17. 60	195, 90 154, 10
Pouto 20D	21. 00	17. 60	38. 60
Route 21	188. 49	27. 00	215. 49
Route 22	36.87	2, 283. 33	2,320.20
Route 24	332. 88 7. 73	7,478.58	-7, 811. 46 7, 73
Route 25D.	677. 16	386.68	1,063.84
D 4- 07T	12. 93	52.00	64. 93
Route 25G Route 25, Sinrock Ferry Bull Creek Bridge Snake River Bridge Route 26	98. 56	248. 00 204. 00	346. 56 254. 00
Route 25, Sinrock Ferry	50. 00 70. 50	204.00	70. 50
Snake River Bridge	624. 40	157. 90	782. 30
Route 26.	298.00	70.00	368.00
Route 27	95. 50	3, 607. 55 6, 00	3, 703. 05 1, 926. 76
Route 29 Route 30	1, 920. 76 176. 27	823. 73	1,000.00
Route 31.	50.00		50.00
Route 32A	91. 35	59 98	91. 35 3, 023. 28
Route 32B	2, 969. 92 145. 38	53. 36 2, 656. 89	3, 023. 28 2, 802. 27
Route 35. Route 38A	591.04	3, 291. 16	3,882.20
Route 38B	99. 70	80.00	179. 70
Route 39	1, 239, 84	612. 99	1, 852. 83 194. 95
Route 40	92. 50 298. 80	102. 45	298. 80
490000 90	2, 484, 98	2, 229. 82	4, 714. 80


ANNUAL REPORT OF THE

Board of Road Commissioners for Alaska


1917



WASHINGTON
GOVERNMENT PRINTING OFFICE
1917



E, VALDEZ-FAIRBANKS ROAD



M NEAR MILLERS, VALDEZ-FAIRBANKS ROAD.

surfaced with gravel. A short pile bridge was built over the glacial stream near mile 202, and a dike 700 feet in length was constructed for the purpose of confining the stream to its present channel. The average cost of all work was \$306.72 per mile.

Route 4H—Delta River-McCarty Road (73.4 miles).—The work performed on this route during the year embraced the removal of slides, repairing bridges damaged by high water, grading 2 miles

with a grader, and surfacing 1 mile with gravel.

The bridge over the glacier stream near Miller's was lengthened by the construction of two 60-foot spans and 66 feet of approach. The added spans are of the new pony truss type, with steel lower chords and native timber compression members. The cost of this work, exclusive of freight, was as follows:

Material	\$1, 714, 10
Labor: Cutting and getting out timber Whipsawing timber Constructing piers Framing trusses Erecting trusses Placing floor system	831, 29 416, 10 506, 30 143, 29 107, 43 206, 15
m tol	2 004 66

To confine this stream to its present channel, a dike 585 feet long and 5 feet high was constructed, with its upstream slope protected hy a heavy layer of brush secured at the top to the dike and weighted with rock held in place by wire netting. The total cost of the dike

"Route 41—McCarty-Richardson Road (20.6 miles).—In addition to general repairs to the road between McCarty and Shaw Creek. the work of the year was confined chiefly to the ferry and bridges in the vicinity of McCarty.

A new ferry scow, 16 by 35 by 3 feet, was constructed of native

whipsawed lumber, at a cost of \$778.95.

improvements to the bridge over the north slough near McCarty encluded replacing the existing 30-foot span by a standard 60foot pony truss span, recrecting the 30-foot span north of the new infoot span, and constructing 56 feet of pile trestle approach. The total cost of this work was \$1,027.97, exclusive of freight from Seattle.

A pile bridge, 204 feet in length, constructed over the middle

McCarty Slough, cest \$828.37.

Route 6A-Willow Creek-Tonsina Road (24 miles).—The greater part of this route was graded with a road grader during the year. culverts were repaired and new ones built where necessary: ditches were cleaned out and a small amount of gravel surfacing placed. During May and June of this year two maintenance men, with a team, were employed in dragging the road, repairing culverts, etc. the cost of the year's work averaged \$328.27 per mile.

This route, which traverses naturally good soil, is now in good andition and should require little work in the near future outside

that performed by a small maintenance crew.

Route 6B-Tonsina-Chitina Road (15 miles).—Ordinary mainchance work was done on this route, but the chief expenditure was desoted to improvement, which is expensive, because of the rugged and difficult country through which the road runs. The long grade leading to the Tonsina River Valley was widened and surfaced, involving the construction of 1,760 linear feet of cordurov, costing 78 cents per foot, and the removal of 1.400 cubic yards of solid rock. which was made use of in surfacing 5,570 linear feet of the road. Approximately 3,500 cubic yards of gravel surfacing was placed, at an average cost of \$1.10 per cubic yard. In addition, ditches were cleaned, slides removed, culverts repaired, driftwood removed from the Tonsina River Bridge, and 1½ miles of road graded.

The dike constructed last year above the Tonsina Bridge (see annual report for 1916, p. 11) was partly destroyed by high water during the summer of 1916. It was rebuilt and strengthened this spring, and has successfully withstood the high water and accom-

Chisana Trail.—This is a winter trail from McCarty, on the Copplished its purpose. per River & Northwestern Railroad, to the Chisana mining district. The best route for travel varies from year to year, and the trail is marked each winter with temporary stakes. The staking last fall was done under the supervision of local parties, \$500 being expended by the board and \$500 contributed by interested persons in the vicinity.

SOUTHWESTERN DISTRICT.

(Mr. Anton Eide, Superintendent.)

Route 10—Seward-Kenai Lake Road (14 miles).—The work of improvement on this route begun in 1915 by the Territorial road commissioner was continued by the board during the past year. The first 3 miles were improved, and extensive new construction was undertaken between mileposts 3 and 7. A total of 4.4 miles was a support of the s graded with the road grader, 0.8 mile graveled, 520 feet of bridge redecked and 7 new subsection. redecked, and 7 new culverts constructed. The work was greatly homography hampered by very heavy rains and high water. Unit costs of various classes of work were:

classes of work were.	\$-25
(hoper) per acre	٠.
classes of work were. Clearing and grubbing (heavy), per acre Grading, per linear foot.	2
Grading, per linear footRedecking bridges, per linear foot	
Redecking bridges, per linear foot Graveling, per linear foot the spring embracing the rel	-011
Graveling, per mean locality the rel	3811
- + - 11	

Maintenance work during the spring, embracing the repa washouts, surfacing soft spots, and dragging, cost \$1.339.60.

The reconstruction of the bridge over Resurrection River (and port, 1916, p. 11) was completed down Resurrection River (55.4a) report, 1916, p. 11) was completed during July. The three grafter spans are of Douglas for and the control of the property of the control of t spans are of Douglas fir and the remainder of the bridge of microspruce timber. An itemized statement spruce timber. An itemized statement of the field cost is give below; freight on material obtained in Santa below; freight on material obtained in Seattle is not included.

below; freight on material obtained	\$231
Material:	 650 4
Piling	 \$237. \$4 693.4 650.4 600.5 105.6 10
Native lumber	 10.7 a
pode bolts etc	 10.5
Drift bolts and spikes Dynamite, fuse, and caps	 2,835.9
Dynamite, fuse, and caps Tools	 2, ?"

Driving piles: Rent of driver with fuel and oil
Planking and capping piers and lowering approaches Getting out stringers and caps for approaches
Total
A 72-foot Howe truss span of native sprud a stream near the Ole Martin ranch. The $\mathrm{d}e$
Getting out timber for crib abutments and lower chor Constructing abutments

Route 12—Mile 34 A. N. R. R.-Hope Road sled road).—The usual maintenance work on t included the widening of the road, cleaning linear feet of bridges at a cost of \$2.75 per for On the sled-road section a small amount of w pally in removing windfalls. The total cost w \$514 was expended in repairing and protecting spring.

Framing and raising trusses_____ Placing decking and handrails_____

Route 19—Kern Creek-Knik Trail (86 mile mer of 1916, forest fires and landslides caused stroyed a large part of this trail along Turna of repairing this damage covered about 20 n moving slides, replacing and repairing bridg. ing windfalls and rebuilding cribbing. Durin were employed on the Turnagain Arm section it, and keeping it clear of slides and dangerous

Upon completion of the new Government to Matanuska the larger part of this route c until the gap between Kern Creek and Anche traffic over it will be very heavy.

Route 20A-Knik-Susitna Trail (30 miles) Route 20B—Susitna-Rainy Pass Trail (127 Two hundred and fifty dollars was expended the vear, chiefly in clearing windfalls and br which are difficult to cross during the spring a Route 20C—Rainy Pass-Tacotna Trail (130 Route 20D-Tacotna-Kaltag Trail (145 mile No work was done on these routes during the Route 24—Mile 29 A. N. R. R. Moose Pass The improvement of 14.5 miles of sled road to constituted the work of the year on this rou down, the road bed was widened and drained

igh which the road runs. The long grade ver Valley was widened and surfaced, inof 1,760 linear feet of corduroy, costing removal of 1.400 cubic yards of solid rock. n surfacing 5,570 linear feet of the road c vards of gravel surfacing was placed, at per cubic yard. In addition, ditches were ulverts repaired, driftwood removed from , and 1½ miles of road graded. last year above the Tonsina Bridge (See

). 11) was partly destroyed by high water 116. It was rebuilt and strengthened this ally withstood the high water and accom-

s a winter trail from McCarty, on the Conn Railroad, to the Chisana mining district. l varies from year to year, and the trail is h temporary stakes. The staking last fall rvision of local parties, \$500 being expended contributed by interested persons in the

UTHWESTERN DISTRICT.

ANTON EIDE, Superintendent.)

enai Lake Road (14 miles).-The work of oute begun in 1915 by the Territorial road nued by the board during the past year. The roved, and extensive new construction was ileposts 3 and 7. A total of 4.4 miles was grader, 0.8 mile graveled, 520 feet of bridges ulverts constructed. The work was greatly y rains and high water. Unit costs of various

(avy), per acre \$230.00
atvy), per acressians
ar foot
ear foot
during the spring, embracing the repair of
the make and dragging cost \$1,009,00.
of the bridge over Resurrection River (annual
of the bridge over nesurrection it is a fallowing
a sampleted during allily. The three (9-100)
fir and the remainder of the bridge of native
fir and the remainder of the ortage
temized statement of the field cost is given
terrized scattering set included
erial obtained in Seattle is not included.

•	_ \$237.0
	693.4
	659. 4
	600.#
	105.5
	33.4
nps	_ 10.16

Driving piles: Rent of driver with fuel and oil\$160.00 Labor	
	\$012.67
Planking and capping piers and lowering approaches Getting out stringers and caps for approaches	330.00
cetting out stringers and caps for approaches	317.00
placing hand and guard rails	
Cutting and blasting out out destie	50.00
	- (700 10

A 72-foot Howe truss span of native spruce was constructed over a stream near the Ole Martin ranch. The detailed cost was:

Getting out timber for crib abutments and lower chord	23 101
9.500 feet b. m. native lumber, at \$22 per M	209.00 47.83
Framing and raising trussesplacing decking and handrails	55, 00 30, 00
placing decking and manufacts	

Route 12-Mile 34 A. N. R. R.-Hope Road (31 miles road, 9 miles sled road).—The usual maintenance work on the wagon-road section included the widening of the road, cleaning ditches, redecking 420 linear feet of bridges at a cost of \$2.75 per foot, and general repairs. On the sled-road section a small amount of work was done, principally in removing windfalls. The total cost was \$4,526.35, of which \$514 was expended in repairing and protecting the road during the

Route 19-Kern Creek-Knik Trail (86 miles).—During the summer of 1916, forest fires and landslides caused by excessive rains destroyed a large part of this trail along Turnagain Arm. The work of repairing this damage covered about 20 miles, and included removing slides, replacing and repairing bridges and culverts, clearing windfalls and rebuilding cribbing. During the winter two men were employed on the Turnagain Arm section of the trail, repairing it, and keeping it clear of slides and dangerous accumulations of ice.

Upon completion of the new Government railroad from Seward to Matanuska the larger part of this route can be abandoned, but until the gap between Kern Creek and Anchorage is closed winter

traffic over it will be very heavy.

Route 20A—Knik-Susitna Trail (30 miles).

Route 20B—Susitna-Rainy Pass Trail (127 miles). Two hundred and fifty dollars was expended on route 20A during

the year, chiefly in clearing windfalls and bridging small streams which are difficult to cross during the spring and fall.

Route 20C-Rainy Pass-Tucotna Trail (130 miles). Route 20D—Tacotna-Kaltag Trail (145 miles).

No work was done on these routes during the year.

Route 24—Mile 29 A. N. R. R.-Moose Pass Road (29.5 miles).— The improvement of 14.5 miles of sled road to wagon road standards constituted the work of the year on this route. Grades were cut down, the road bed was widened and drained culverts were constructed, and corduroy laid where necessary. The average cost of the work was \$592.64 per mile. The average unit costs were:

Clearing and grubbing, per acre	\$120.00
Ditching and grading, per linear foot	. 07
Corduroy, per linear foot	. 6 0

Route 32A—Tacotna-Flat Creek Trail (87 miles).—No work was

done on this route during the year.

Route 35—Knik-Willow Creek Road (34 miles).—General repairs were made to the entire route during the year. A small amount of corduroy was laid, and a quantity of culvert timber was cut and hauled for future use on the section above timber line. One mile of new road was constructed to reduce a steep grade at mile 33.

A standard 60-foot pony truss bridge of native spruce was constructed over the Little Susitna River, replacing an old stringer

bridge. The cost was as follows:

Material (steel and hardware, Seattle)	\$408.00
Cutting and hewing timber	478, 80
Hauling steel, etc., to bridge site	70.00
Constructing and filling timber abutments	
Framing and raising trusses and placing decking	280.00
-	- 10 10

The freight on steel and hardware from Seattle is not included in

the above total.

Extensive improvement work on this road is now in progress from Wasilla, where it crosses the new Government railroad, in order that it may better serve the growing needs of the Willow Creek

mining district.

Route 35A—Archangel extension (2 miles).—This route will connect mile 32 on the Knik-Willow Creek Road with the Archangel Creek Valley, where a number of lode mines are developing. The entire road will be above timber line, necessitating the transportation of all culvert material and wood for fuel from considerable distances, and thus increasing the cost. A total of \$1,003.50 was expended during the past year, and the work of completing the road is now in progress.

McDougall-Cache Creek Trail.—This trail leads from McDougall-on the Yentna River, to the Cache Creek placer mining district, a distance of approximately 30 miles, and was constructed by operators in the district. During September and October, 1916, a location for a wagon road following the same general route was made and a bridge 120 feet long was constructed over Cache Creek, at a total

cost of \$1,329.15.

Travel to and from this district is dependent upon uncertain and slow, small boat service from Anchorage up the Susitna and Yentna Rivers. Upon the completion of the Government railroad a more suitable route will lead from some point on the railroad near Talkeetna overland to Cache Creek. A reconnaissance of this route is now being made, with a view to the probable construction of a sled road if a suitable location is found.

Palmer-Mile 26 survey.—During the late fall of 1916 a location survey was made for a road 8 miles in length from Palmer, on the Government railroad, to mile 26 on the Knik-Willow Creek Road,

to serve a considerable number of farmers who have taken up homesteads along the proposed route. The cost of the survey was \$96.20. Construction of the road is now under way.

YUKON DISTRICT.


(Mr. R. J. SOMMERS, Superintendent.)

Route 4J—Richardson-Salchaket Road (30 miles).—Extensive improvement of that portion of the road between mileposts 312 and 330, except 1 mile, constituted the work of the year on this route. The road was straightened, widened to 30 feet, and graded with a road grader. A change in the location was made between mileposts 318 and 319, involving the construction of approximately a quarter of a mile of new road around a steep bluff. The old road at this point was located on the flat along the Tanana River, where it was subject to overflow during high water. Two other short relocations were also made, the road in each case being shifted from the flat to the hillside, where better soil and drainage could be obtained. Sixty-eight culverts were constructed at an average cost of \$20 each, and 560 linear feet of corduroy was laid at a cost of \$60 per foot. The average cost of all the work was \$1,955.95 per mile for the 17 miles improved.


Route 4K—Salchaket-Fairbanks Road (40 miles).—Eighteen and a half miles of this road, from mile 352 to mile 370, were reconstructed during the year. The road was widened, straightened, and graded with a road grader; fills were made across small swales, and 8,470 linear feet of drainage ditch constructed. Sixty-one culverts, two 36-foot pony truss bridges, and seven 16-foot stringer bridges

were built, and 4.050 linear feet of corduroy laid.

Owing to the continuous cutting away of the road near mile 357, a relocation was made between mileposts 353 and 360. The new location is 0.5 mile longer than the old road, but it is on higher ground, with better soil conditions, and is well back from the river. This relocation also eliminated about 3 miles of narrow corduroy which is subject to overflow by the Tanana River during high water, and which could not be satisfactorily repaired except at great expense.



Route 5—Ester-Fort Gibbon Sled Road (148 miles).—The year's work on this route consisted of general repairs and maintenance. Slides, windfalls, and stumps were removed between the 12 and 49 mileposts and 4 bridges, ranging in length from 19 to 31 feet, were constructed, at an average cost of \$5 per foot, the high cost being due to the scarcity of suitable timber. Repairs to bridges near Hot Springs cost \$157. Seven bridges near Tanana, varying from 18 to 36 feet in length, were reconstructed with sawed lumber, at a cost of \$858.78.



ILLAR TRACTOR, ESTER CREEK ROAD.



ME-BESSIE ROAD.

Route 7A—Summit-Cleary Road (11 miles).

Route 7B—Fox-Olnes Road (13 miles).

Route 7C—Summit-Fairbank's Creek Road (11 miles).

Route 7E—Vault Creek Road (2 miles). Route 7F—Vault Creek-Treasure Creek Road (1.5 miles).

Route 7H—Little Eldorado Creek Road (1.5 miles).

Route 71—Gilmore-Summit Road (6 miles).

These routes were maintained by the Territorial road commissioner for the fourth judicial division, and no work was done on them

Route 7D—Ester Creek Road (13 miles).—The work of the year on this route consisted of the improvement of 2,000 feet of the road on mile 3, where it traverses a mattress of decayed vegetable matter, or peat, several feet deep, for a distance of over 0.5 mile. Two thousand feet of corduroy was laid and covered, at a cost of 85 cents per foot. Four bridges, with an aggregate length of 89 feet, were built, at a cost of \$239.

During the present year the improvement of the road is being

continued as far as the Government experimental farm.

Route 7G—Fairbanks-Gilmore Road (13 miles).—The work done by the board on this route was confined to the construction of a pile bridge over Noyes slough to replace a 70-foot Howe truss span, which collapsed. A part of the material from the old bridge was used in the new construction, and other material was furnished by the Territorial road commissioner, who also performed general maintenance work on the road.

Route 71—Fairbanks-Chena Hot Springs Trail (64 miles).

Route 7K—Olnes-Livengood Sled Road (54 miles).

No work was done on these routes during the year.

Route 9-Rampart-Eureka Road (6.5 miles road, 21.5 miles sled road).--General maintenance work on this route was carried on during July and August, and included redecking 19 culverts and 3 bridges, the reconstruction of 2 bridges, aggregating 54 feet in length, and widening and repairing the road between the 6 and 10 mileposts.

Route 11A—Eagle-O'Brien Creek Road (17 miles).

Route 11B—O'Brien Creek-Fortymile Sled Road (30 miles).

Work on these routes during the year consisted of general repairs and maintenance. On the wagon-road section, culverts were rebuilt; bridges repaired, and one new bridge constructed, ditches cleaned and extended, and a small amount of gravel surfacing placed. Main tenance work on the sled-road section included the removal of rock slides, widening the road, and ditching some sections.


Route 11C—Steel Creek-Jack Wade Road (2.5 miles).

Route 11D—Canyon Creek-Walkers Fork Sled Road (10 miles).

No work was done on these routes during the year.

Route 11E—Eagle-Seventy Mile Sled Road (20 miles).—A total of \$502 was expended on this route, chiefly in constructing three bridges, repairing culverts and bridges, and ditching.

Route 15—Circle-Miller House Road (49 miles).—Annual maintenance work on 34 miles of this route was performed during the summer and included cleaning and constructing ditches, laying 1 mile of light corduroy, repairing damage caused by washouts, and re-





OF RUBY-LONG CREEK ROAD.

decking and repairing culverts and bridges. The average cost of the work was \$137 per mile for the 34 miles on which work was done. Route 16—Chatanika-Miller House Sled Road (81 miles).—The year's work on this route consisted chiefly in repairing bridges and removing slides. Six bridges were repaired, and one new bridge 24 feet long was constructed. The total cost of the work was \$500.

Route 17—Fort Gibbon-Kaltag Trail (257 miles).—The temporary staking of this trail for the guidance of winter travel was done by

contract, at a cost of \$300.

Route 17A—Lewis Landing-Dishkaket Trail (108 miles). Route 17B—Nulato Dishkaket Trail (90 miles).

No work was done on these routes during the year.

Route 22—Hot Springs-Sullivan Creek Road (9 miles wagon road, 6 miles trail).—The work of the year on this route was confined to the wagon-road section. Bridges, culverts, and cordurov were repaired, ditches were cleaned, and a small amount of new ditching was done. Grading was done on sections between Kemperville and Sullivan Creek where the road had settled and a grader could be used to advantage. The average cost of the work was \$127 per mile.

Route 23A—Chatanika-Beaver Trail (120 miles). Route 23B—Beaver-Chandlar Sled Road (25 miles). Route 29—Fort Gibbon-Koyukuk Trail (100 miles). No work was undertaken on these routes during the year.

Route 30—Hot Springs Landing-Eureka Creek Road (32 miles).— The year's work on this route was confined to the section between the Landing and Hot Springs, and comprised laying 180 feet of corduroy, cleaning ditches, filling ruts, and repairing several small bridges and culverts.

Route 31—Salchaket-Caribou Creek Sled Road (46 miles).—No

work was done on this route during the year.

Route 32B—Iditarod-Flat Creek Road (8 miles). Routé 33A—Otter Creek Towpath (22 miles). Route 33B—Summit-Otter Creek Road (6 miles).

The work of the year on these routes was devoted to maintenance on the main Iditarod-Flat Creek Road, with some improvements on the first 6 miles of that road. Bridges and culverts were repaired, 4.010 linear feet of corduroy laid, and 9,481 feet of road graveled. The total expenditure was \$4,500.

Route 38—Ruby-Long Creek Road (19.5 miles road, 10.5 miles sled road).—The year's work on this route embraced repairs to the main street of Ruby, the maintenance and improvement of the 6 miles of wagon road previously constructed, and the improvement to wagon

road standards of approximately 13.5 miles of sled road.

The extension of the road which forms the main street of Ruby (not an incorporated town) was reconstructed for a distance of 1.300 feet, or practically its entire length. The steep approaches at either end of the street were graded down and ditched and the entire street was surfaced with rock. Six culverts were constructed, the material for five of which was furnished by adjacent property owners. The total cost of this work was \$1,501.09.

From Ruby to milepost 6 extensive maintenance and improvement work was done. Sidehill cuts were widened, holes filled, corduroy

repaired and renewed, and 240 linear feet of road surfaced with rock. The average cost of the work was \$466.84 per mile.

From the 6 milepost to a point 0.5 mile beyond the 19 milepost, a wagon road was completed, largely following the old sled road. The work was accomplished under very trying weather conditions, the rainfall throughout the summer being without precedent in the history of Ruby. This heavy rainfall greatly increased the difficulty of overcoming the miles of glacial muck formation traversed, and was chiefly responsible for the unusually high cost of the work.

In the construction of the new road 183 culverts were constructed. 24,506 linear feet of corduroy laid, 46,603 linear feet of road graded and ditched, and two bridges having a total length of 298 feet built. The road varies in width from 16 to 30 feet, according to the formation of the ground. All of the culverts, with the exception of 12, were constructed of poles secured on the ground. Pole or brush corduroy was used, depending upon the timber available where required.

Average costs of the work were:


Clearing, grubbing, and grading, per linear foot	\$0.78
Cordurov, per linear foot	. 90
Culverts, each	27.88
Bridges, per linear foot	1.81

A permanent cache or warehouse 16 by 48 by 10 feet, with a corrugated iron gable roof, was constructed near the 19 milepost for the storage of supplies, equipment, and forage, no building being available for the purpose along the entire length of the road. The cost was \$484.61.

Maintenance work during the past spring on the entire 19.5 miles of wagon road comprised thawing ice out of culverts, opening channels under bridges, and repairing damage done to the new work during the break-up. The soil in this region cuts very rapidly when the moss is removed, and it is subjected to the action of running water, and a large part of the corduroy was seriously threatened by cutting ditches. Where this was found to be the case, the inner sides of the ditches were thoroughly revetted with moss and sod covered with earth. It is thought that in the future any damage from this source can be largely eliminated by leaving a wider berm—at least 5 feet—between the ends of the corduroy and the inner edges of the ditches and this will be done. The cost of this spring work can not be given as part of the expenditures had not been reported at the close of the period of this report.

Prior to last year the prevailing summer freight rate from Ruby to Long Creek was 7 cents a pound, the freight being hauled over ridges which in wet weather became almost impassable, horses often sinking to their bellies in the mud. At the present time light motor trucks are delivering freight in ton lots at the 20 milepost under favorable weather conditions, for 1½ to 1½ cents a pound, and the rate to Long City when the road is completed will probably not exceed 2 to 2½ cents per pound, the saving resulting directly from the road thus amounting to at least \$70 per ton.

The work of completing the road to Long Creek is now in progress. A further extension from Long Creek to Poorman, a distance approximately 24 miles, is urgently needed, but its construction will be expensive and can not be undertaken by the board with the funds now available or in prospect.



Route 32B-Long Creek-Cripple Trail (60 miles).—The work of the year on this route embraced the construction of a 25-foot bridge Ophir Creek, repairing the bridge over Monument Creek, and filling in washouts between the Solatna River and Poorman. total cost was \$196.

Route 46—Kantishna Trail (75.75 miles).—This is a trail constructed during the past winter from the Thirty-mile Roadhouse, 26 miles from Nenana on the proposed route of the new Government railroad, to the Kantishna mining district. From the initial point to the Toklat River, 26 miles, an old Indian or prospectors' trail was followed. This trail was widened where necessary, and tripods were placed at intervals of 200 feet in open country for the guidance of

From the Toklat River to Diamond City, 37.75 miles, the work was entirely new construction. The trail was cleared for a width of 8 feet through all timbered sections, trees being cut as close to the ground as the depth of snow permitted, and other obstacles to traffic removed. All open country was staked with tripods, and 10 permanent bridges, aggregating 315 feet in length, were constructed.

Between Diamond City and Glacier, the terminus of the route (12 miles), the location follows an old trail, which was widened and straightened where most necessary.

The work was done during February and March of this year under the efficient supervision of Mr. Thomas Lloyd. The total cost was

Route 47—Coldfoot-Wiseman Sled Road (11.25 miles).—This is a winter sled road from Coldfoot, the ordinary head of navigation on the Koyukuk River for light-draft boats, to Wiseman, which is the supply point for the Koyukuk mining district. Freight is landed at Coldfoot during the summer and a small amount is transported to Wiseman on small gasoline or poling boats or on horse scows. The greater part of the freight, however, is stored at Coldfoot and hauled Wiseman and the adjacent producing creeks during the winter.

Construction work was carried on during September and comprised clearing and grubbing over the entire distance, and the construction of 3 foot bridges, with a total length of 445 feet, and 18 wagon bridges, aggregating 384 feet in length.

The total cost of the work was \$5,000, or \$444.44 per mile.

Eagle-Circle Mail Trail.—A total of \$206 was expended on this trail during the year. The work consisted of grading approaches to streams and widening and clearing the trail between mileposts 6 and 10 and between mileposts 15 and 22 north of Eagle.

Bridge over Chena Slough, Fairbanks.—The project for this bridge was described in the annual report for 1916 (p. 15). The superstructure is a 300-foot steel span, with Petit trusses, designed for a uniform live load of 50 pounds per square foot or for two 8-ton motor trucks passing. The abutments are of concrete, each consisting of two columns with stepped reinforced footings, supported on piles. The columns are connected at the top by a reinforced concrete curtain wall. The north approach is a framed trestle 180 feet in length: the south approach, constructed by the city of Fairbanks, is combined earth fill and trestle.

Excavation for the abutments was commenced August 9, 1916, being delayed until that date by the difficulty of securing proper lumber Route 13H—Center Creek Road (1.37 miles).—The cost of resur-

facing 625 feet of this road with gravel was \$386.84.

Route 13I-Nome River Road (5 miles).—The protection of this road during the spring break-up cost \$13.05 per mile. No other work was done during the year.

Route 13J—Wonder-Flat Creek Road (2 miles).—General repairs

and maintenance on this route cost \$178.05 per mile.

Route 13K—Bessie-Buster Road (5 miles).—The work of the year on this route consisted of general maintenance and surfacing 1 mile with gravel 12 inches thick, at a cost of \$0.36 per foot.

Route 18—Kaltag-Solomon Trail (248 miles).—On the Topkok-Unalaklik section of this trail 2,818 permanent stakes, each 3 inches in diameter at the butt and 9 feet long, were cut and set. In addition the permanent stakes on 79 miles were repaired and reset where necessary and 4½ miles of new trail cleared through timber. The total cost was \$961.85.

21—Unalaklik-St. Michael Trail (approximately 65 miles).—The temporary staking of 18 miles on the ice between St. Michael and Klikitarick cost \$16. The remainder of the work embraced restaking 27 miles with permanent stakes and the construction of a light tram over the Golsovia River, at a total cost of \$381.40.

Route 25A—Cripple River Road (13.5 miles, total A and B).

Route 25B-Penny River Road.

Route 25C—Nome-Wireless Road (0.25 mile).

No work was done on these routes during the year.

Route 25D—Mouth of Center Creek Road (2 miles).—General

maintenance and repairs on this road cost \$87.66 per mile.

Route 25E—Submarine Paystreak Road (2.5 miles).—As orig inally built this road extended from near the mouth of Snake River for a distance of approximately 1 mile along the submarine pay streak. A total of only \$620.84 has been expended on it since its local tion in 1907, and no work has been done on it for several years. At the present time a new road, following a better location, is being constructed from the Snake River bridge to the submarine paystreak This road will be designated by the same name and route number as the old road, which has been abandoned.

The work of the year consisted chiefly in the construction of fills leading to the Snake River bridge approaches, containing 1,460 cubic yards of material. A branch road 1.200 feet in length was also contract the same of the sa structed from the west approach to a point near the mouth of Snake

River. The total cost of all work was \$1.765.07.

Route 25F—Anvil-Glacier Road (3 miles).—General repairs to this route included cleaning ditches and hauling 480 cubic yards of gravel

surfacing. The average cost was \$395.85 per mile.

Route 25G—Snake River Extension Road (3 miles).—The work of the year on this route embraced general repairs and the surfacing of 2,380 linear feet of road and 2,380 linear feet of road with gravel. A suspension foot bridge over Spake River at the month of general repairs and the surracing over 2,380 linear feet of road with gravel. A suspension foot bridge over 130 Spake River at the month of general repairs and the surracing over 130 spake River at the month of general repairs and the surracing over 130 spake River at the month of general repairs and the surracing over 130 spake River at the month of general repairs and the surracing over 130 spake River at the month of general repairs and the surracing over 130 spake River at the month of general repairs and the surracing over 130 spake River at the month of general repairs and the surracing over 130 spake River at the month of general repairs and the surracing over 130 spake River at the month of general repairs and the surracing over 130 spake River at the month of general repairs and the surracing over 130 spake River at the month of general repairs and the surracing of general repairs and the general repairs and the surracing of general repairs and the g Snake River at the mouth of Boulder Creek, having a span of 130 feet, and two 18-foot bridges over State C. feet, and two 18-foot bridges over Sledge Creek were constructed at the cost of \$294.73. The material used was largely obtained from the old Snake River bridge old Snake River bridge.

Route 25H—Otter Creek Road (1.25 miles).—No work was done of is route during the room

this route during the year.

Route 25—Sinrock Ferry.—The total cost of erating this ferry was \$321.90, of which \$71. minor repairs to the scow.

Route 26—Candle-Candle Creek Road (5 mil on this route consisted of cutting and tying 3,3 of willows, which were hauled and distributed the winter for use in constructing corduroy this

Route 27—Deering-Inmachuck Road (25 mil nance covering the whole route, together with s on the left bank of the Inmachuck River, elimi of the river, constituted the work of the past y of the bridge over the lagoon near Deering had was removed and replaced by piles. Eight no structed, 0.5 mile of road graded and ditched, durov laid and graveled.

Route 28—Dahl Creek-Candle Trail (140 mi replacement, where necessary, of permanent : entire length of the route cost \$1 per mile.

Route 37—Topkok-Candle Trail (141 miles). this route were restaked with permanent stake through timber, at a total cost of \$460.

Route 42—St. Michael-Kotlik Trail (appro Those portions of this route not on the ice w manent stakes, 40 to the mile. The work was

Route 49—Davidsons Landing-Taylor Creek constructed).—This road extends from the h Marys River to Taylor Creek, in the Kougarok light construction work was undertaken, cover of the route, and consisting of clearing out creek crossings by grading, and laying gravel-s roy over soft spots. Since the work was done t haul loose loads 1,500 pounds greater than t improvement was made.

Marshall Road.—This road when complete tributary slough of the Yukon to the placer district and will be about 3 miles in length. the past year consisted of cutting and hauling p miles of corduroy. Only a part of the accou have been received, and the total cost can not b

This project has been taken over and will

by the Territorial road commission.

Flagging trails.—Approximately 550 miles those permanently marked, were temporarily the market the travel. the guidance and safety of winter travel. The cost of cost of inspection trips by the superintender

Snake River Bridge.—The construction of report 1916, p. 18) was begun June 17 and 1916, Nearly all of the material used, includ steel, had to be obtained and shipped from Sea the cost. The two 100-foot spans are of the cost. type. All truss timbers, stringers, and planks ? k Road (1.37 miles).—The cost of resur. with gravel was \$386.84. Road (5 miles).—The protection of this k-up cost \$13.05 per mile. No other work

Creek Road (2 miles).—General repairs ate cost \$178.05 per mile. r Road (5 miles).—The work of the year teneral maintenance and surfacing 1 mile at a cost of \$0.36 per foot. on Trail (248 miles).—On the Topkok

ail 2,818 permanent stakes, each 3 inches 19 feet long, were cut and set. In addi. in 79 miles were repaired and reset where new trail cleared through timber. T_{he}^{cre}

Michael Trail (approximately 65 aking of 18 miles on the ice between St est \$16. The remainder of the work em. with permanent stakes and the construc-Golsovia River, at a total cost of \$381.40. er Road (13.5 miles, total A and B). \cdot Road.

ess Road (0.25 mile). se routes during the year.

Center Creek Road (2 miles).—General

this road cost \$87.66 per mile.

Paystreak Road (2.5 miles).—As origded from near the mouth of Snake River mately 1 mile along the submarine pay. 0.84 has been expended on it since its locahas been done on it for several years. At I, following a better location, is being con-River bridge to the submarine paystreak. ed by the same name and route number as en abandoned.

onsisted chiefly in the construction of fills · bridge approaches, containing 1,460 cubic ich road 1,200 feet in length was also conbroach to a point near the mouth of Snake

ll work was \$1,765.07.

er Road (3 miles).—General repairs to this ches and hauling 480 cubic yards of gravel

st was \$395.85 per mile.

Extension Road (3 miles).—The work of aced general repairs and the surfacing of th gravel. A suspension foot bridge over of Boulder Creek, having a span of 130 es over Sledge Creek were constructed at a erial used was largely obtained from the

Road (1.25 miles).—No work was done on

Route 25-Sinrock Ferry.—The total cost of maintaining and opthis ferry was \$321.90, of which \$71.90 was expended for eran repairs to the scow.

Route 26—Candle-Candle Creek Road (5 miles).—The year's work this route consisted of cutting and tying 3,382 fifty-pound bundles on this willows, which were hauled and distributed along the road during

the winter for use in constructing corduroy this year.

Route 27—Deering-Inmachuck Road (25 miles).—General maintenance covering the whole route, together with some new construction on the left bank of the Inmachuck River, eliminating seven crossings of the river, constituted the work of the past year. The center pier of the bridge over the lagoon near Deering had been undermined and was removed and replaced by piles. Eight new culverts were contructed, 0.5 mile of road graded and ditched, and 2,700 feet of corduroy laid and graveled.

Route 28-Dahl Creek-Candle Trail (140 miles).—The repair and replacement, where necessary, of permanent stakes throughout the

entire length of the route cost \$1 per mile.

Route 37—Topkok-Candle Trail (141 miles).—Twenty-six miles of this route were restaked with permanent stakes and 3 miles cleared

through timber, at a total cost of \$460.

Route 42-St. Michael-Kotlik Trail (approximately 70 miles).-Those portions of this route not on the ice were marked with permanent stakes, 40 to the mile. The work was done by contract and cost \$350.

Route 49—Davidsons Landing-Taylor Creek Road (40 miles; 24 constructed).—This road extends from the head of navigation on Marvs River to Taylor Creek, in the Kougarok mining district. Only light construction work was undertaken, covering the first 24 miles of the route, and consisting of clearing out the road, eliminating creek crossings by grading, and laying gravel-surfaced willow corduroy over soft spots. Since the work was done teams have been able to haul loose loads 1,500 pounds greater than the average before the improvement was made.

Marshall Road.—This road when completed will extend from a tributary slough of the Yukon to the placer mines of the Marshall district and will be about 3 miles in length. The work done during the past year consisted of cutting and hauling poles for approximately 2 miles of corduroy. Only a part of the accounts covering this work

have been received, and the total cost can not be reported.

This project has been taken over and will be completed this year by the Territorial road commission.

Flagging trails.—Approximately 550 miles of trails, in addition to those permanently marked, were temporarily staked or flagged for the guidance and safety of winter travel. The total cost, including cost of inspection trips by the superintendent of the district, was **\$4**,225.30.

Snake River Bridge.—The construction of this bridge (see annual report 1916, p. 18) was begun June 17 and completed August 19, 1916. Nearly all of the material used, including piles, lumber, and steel, had to be obtained and shipped from Seattle, largely increasing the cost. The two 100-foot spans are of the combination Pratt truss type. All truss timbers, stringers, and planks are Douglas fir.

The total cost, including the expenditure reported last year, was

\$16,949.93, distributed as follows: Material_____

Equipment	400.21
Freight on material and equipment	3, 441, 05
Engineering	
Labor	6, 188, 39
Hire of animals	
Miscellaneous (fuel, telegraph, etc.)	
770 () 7	1.0 0.40 09

Of the above amount \$526.50 was expended during the winter in protecting the piers by cutting away the ice and placing riprap around them.

ACCOUNTING.

The expenditures of the Alaska Road Commission during the fiscal year July 1, 1916, to June 30, 1917, amounted to \$576,747.90, of which \$76,716.15 was received from the Alaska fund, \$500,000 from a special appropriation made by Congress, and \$31.75 from collections reverting to that fund.

As the Territory of Alaska covers approximately 590,000 square miles, and road work is done in all parts thereof, it is, of course, impossible for the disbursing officer to make all disbursements person ally, although all accounts eventually pass through his office and are verified there before being forwarded to the War Department.

In order to pay promptly all accounts in outlying districts, each superintendent, one at Nome, Fairbanks, Seward, and a disbursing clerk at Ruby, acts as disbursing agent for his district.

Checks on local banks or commercial companies are given by the local disbursing agent for bills as they are incurred, and at the end of each month the total amount of checks cashed in payment of bills is telegraphed and the disbursing officer issues a Treasury check to cover the overdraft.

Proper vouchers to offset the overdrafts are forwarded by the surperintendents, who are held responsible for a proper accounting for the indebtedness incurred by them.

The above system has been in operation for several years and has proven satisfactory and has enabled prompt settlement of accounts.

On June 11, 1917, the main office of the commission was moved on Valder, where it 1 2 1 from Valdez, where it had been for several years, to Juneau, the capital of the Territory. This transfer became necessary on account of certain additional duties being of certain additional duties being assigned to Lieut. Col. Davison, secretary and disbursing officer, in connection with the militia affairs of the Territory, which required his presence at the capital.

The office at Voldag was left in the capital.

The office at Valdez was left in charge of a disbursing clerk, who handles all accounts of the Valdez-Chitina-Fairbanks Road.

On June 29, 1917, at a meeting of the entire board, funds to amount of \$420,000 were allotted for various projects in the Territory for the period Territory for the period Territory tory for the period July 1, 1917, to June 30, 1918. Several small allotments have been made since that data

The following statement shows in detail the receipts and disburser ments from July 1, 1916, to June 30, 1917, inclusive:

BOARD OF ROAD COMMISSIONERS

STATEMENT OF RECEIPTS AND DISB

This report covers vouchers received and including June 30, 1917:
Balance on hand July 1, 1916
Correction of vouchers:
Alaska fund
Special appropriation
Sales of property, Alaska fund
Total

Balance on hand

Expenditures in detail.

· · · · · · · · · · · · · · · · · · ·	
Routes, etc.	Wag br and Alas
0.00	
Offices.	- 8
D	1
Route 3	1
Route 4A Route 4B, first section	1
Route 4B, first section. Route 4B, second section.	Ι.
Route 4B, second section Route 4B, third section	! :
Route 4B, third section.	:
Route an	1 .
Konte AD	1 :
COUTA AT	
Rollte AC	į.
Route 4H, first section Route 4H, second section	1 :
Route 4H, second section Route 4H, second section	! :
Route 41, second section Route 4K, first section Route 4K, second section	١.
Route 4K, first section Route 4K, second section Tazlina Bridge	
Tazlina Bridge Route 5 Route 5	,
Route 6	1
Route 6A. Route 6B, first section Route 6B', second section	
Route 6B section.	
Route 6B, first section Route 6B, second section Route 7B Route 7D	
Route 7B Route 7B Route 7D	
Rout	1
Ronte 7D	ì
Rome	1
Rouse	1
Route 7G Koute 7G Koute 7T Koute 7I Koute 7J	
Koute 7K Koute 7J Koute 7K	
Route 7K.	1
Route 7K Route 8 Route 9	1
Route 11A	.]
Route 11A Route 11B Route 11E Eagle-Circle Mail Treat	.[
Eagle Of	
Route 12 Irail	j
Route 11E Eagle-Circle Mail Trail Route 12 Route 13	
Route 12 Route 13	ļ
	1

the expenditure reported last year, was

110 (18)	
nent	\$5, 646, 72
	400.57
rent	3,441.05
	600.00
	409 6
etc.)	420, 25
-	
	16, 949, 93

26.50 was expended during the winter in ng away the ice and placing riprap around

ACCOUNTING.

Alaska Road Commission during the fiscal 30, 1917, amounted to \$576,747.90, of which om the Alaska fund, \$500,000 from a sper Congress, and \$31.75 from collections re-

aska covers approximately 590,000 square me in all parts thereof, it is, of course, im. r officer to make all disbursements persons eventually pass through his office and are forwarded to the War Department.

tly all accounts in outlying districts, each me, Fairbanks, Seward, and a disbursing ursing agent for his district.

or commercial companies are given by the bills as they are incurred, and at the end nount of checks cashed in payment of bills sbursing officer issues a Treasury check to

et the overdrafts are forwarded by the suld responsible for a proper accounting for by them.

been in operation for several years and has as enabled prompt settlement of accounts. main office of the commission was moved ad been for several years, to Juneau, the This transfer became necessary on account ies being assigned to Lieut. Col. Davison, officer, in connection with the militia affairs quired his presence at the capital.

s left in charge of a disbursing clerk, who Valdez-Chitina-Fairbanks Road.

meeting of the entire board, funds to the allotted for various projects in the Terri-1, 1917, to June 30, 1918. Several small le since that date.

it shows in detail the receipts and disburseto June 30, 1917, inclusive:

STATEMENT OF RECEIPTS AND DISBURSEMENTS.

This report covers vouchers received and placed in the including June 30, 1917:	ŕ
Balance on hand July 1, 1916. Received from the Treasurer of the United States: Appropriation "Military and post roads, bridges, and trails"	\$54, 137, 28
(act Aug. 29, 1916)	500, 000, 00
Alaska fund	50, 000, 00
Correction of vouchers:	
Alaska tiibo	1.00
Special appropriation	31. 75
Special appropriation	2, 375. 40
Total	606, 545, 43
Disbursed as per tabulated statement below	576, 747, 90
Balance on hand	29, 797. 53

Expenditures in detail.


	And the second s	1		
	Routes, etc.	Wagon roads, bridges, and trails, Alaska fund.	Construction and mainte- nance of military and post roads, bridges, etc., Alaska.	Total.
į				
ě	Offices	\$2,536.93	\$13,414.08	\$15,951.01
1		3, 542, 32	2,394,74	5, 937, 06
ě		50.00	626, 09	676, 09
1	nto 9	1,939,30	10,724.18	12,663,48
ê	Ponte 3	236, 35	3, 126, 89	3, 363. 24
		251. 10	932.01	1, 183, 11
Ě	nto IR first section	4, 321, 20	12, 312, 20	16,633,40
	Poute 4B, second section.	3, 201, 12	10, 211, 11	13, 412, 23
Ì	Route 4B, third section	3, 120, 00	10, 200, 00	13, 320, 00
	Route 4C	1,087.60	10, 140, 82	11 228.42
	Poute 4D	5,041.88	12, 490, 30	17, 532, 18
	Route 4E	1,560,25	13, 107, 41	14, 667, 66
	Route 4F	928.09	11,684,02	12,612,11
	Route 4G	670.47	11,077,12	11,747,59
	Poute 4H first section	2,320.32	13, 322. 19	15,642.51
	Route 4H, second section	2, 232, 44	11,414,10	13, 646, 54
	Route 4I	2, 919. 94	6, 251, 37	9, 171, 31
Ĺ	Route 4J, first section	422. 33	17, 452, 50	17,874,83
	Route 4J, second section	332, 30	10, 541, 41	10,873.71
	Route 4K, first section.	2,025.42	15, 511, 25	17, 536. 67
16	Route 4K, second section	2,027.20	12,500.32	14, 527. 52
1	Terlina Bridge	74.05	17, 550, 75	17,624.80
. As	Route 5	48.00	2,584.35	2,632.35
- 5	Route 6A	1,693.43	6, 185, 08	7,878.51
3	Route 6B, first section	1,409.11	10, 528, 04	11, 937, 15
	Route 6B, second section	1, 306, 12	8,608.40	9,914.52
	Route 7A.			9. 10
	Route 7B			9.09
	Route 7C			9.09
	Route 7D	9, 09	1,900.00 !	1,909.09
	Route 7E	9. 09		9.09
	Route 7F			9.09
	Route 7G.	9.09	237.10	246. 19
	Route 7H			9, 09
	Route 7I.			9.09
	Route 7J.			9.09
	Route 7K	9.09		9.09
	Route 8	552.14	12, 181. 33	12, 733. 47
	Route 9.		1,000.00	1,000.00
Ĭ	Route 10.	2, 730, 86		13, 182, 45
	Route 11A	100.00	1,348.08	1,448.08
	Route 11B		194.00	194.00
	Route 11E		502.00	502.00
	Eagle-Circle Mail Trail		206.00	206.00
	Route 12	7 100	4, 519. 35 +	4,526.35
	Route 13	4,00		4.00


-			
Routes, etc.	Wagon roads, bridges, and trails, Alaska fund.	Construction and mainte- nance of military and post roads, bridges, etc., Alaska.	Total.
	i	zaidona.	1
			-
Route 13A	\$649, 83	\$1,927,46	\$2,577.2
Route 13B		3, 694, 38	3,848.4
Route 13E		27.00	27.0
Route 13F.	60.00	133. 20	193. 2
Route 13H		388. 80	388. 8 115. 2
Route 13J.	50.00 28.50	65, 25 71, 50	100.0
Route 13K	20.00	1,986.55	1.986.5
Route 14	18.00	1,401.29	1,419.2
Route 15	166.00	4, 493. 32	4, 659. 3
Route 16.		500.00	500.00
Route 17		300.00	300.00
Route 18.		573.85	573.85
Route 19		4,769.08	4, 769. 00 120. 00
Route 20A		120.00	130.00
Route 20B. Route 21		130. 00 881. 00	932.00
Route 22		1,140.51	1 140.51
Route 24	46, 22	8, 824. 03	8, 870. 25 142. 25 1, 780. 07
Route 25D.		78. 25	142.25
Route 25E		1,780.07	1,780.07
Route 25F.		1 030 36	1 193.35
Route 25G	104, 03	2, 281, 95	2 385.95
Route 25, Sinrock Ferry	98. 36	206.50	304.86 49.50
Bull Creek Bridge		49. 50	16, 167. 63
Snake River Bridge	10, 925. 90	5, 241. 73	1, 264. 20
Route 26		1,142.85	2 (175, 97
Route 27 Route 28	14.00	3,061.99 139.00	139,00
Route 30.	• • • • • • • • • • • • • • • • • • • •	359.49	250 49
Route 32B.		4,500.00	4,500.00
Route 35		7, 822. 80	7,822.80
Route 35A		1,003.50	1, 003. 50 18, 768. 69
Route 38A, first section.	653. 19	18, 115, 50	
Route 38A, second section	489. 89	16, 901. 25	
Route 38A, third section.	293. 96	15, 750. 04	
Route 38A, fourth section. Route 38B	195. 95	16, 150. 00 13. 50	
Route 39	18.50 1,675.75	3,918.64	01 39
Route 40	1,075.75	414. 10	
Route 43		9 985 70	2, 285, 70
Route 44.	627. 99	4, 394, 40 1, 729, 26	2, 222, 39 5, 022, 39 2, 579, 51
Route 45	850. 25	1,729.26	
Route 46.		4,5/1.03	
Route 47		5,000.00	5, 000. 6 328. 50 5, 009. 80 5, -00 00
Route 48.		328. 50	5,009.80
Route 49 Chisina Trail		5,009.82 500.00	5,009.00 500.00 184.66
Taylor Creek Bridge	184, 49	500.00	3, 019 66 3, 023 19
Taylor Creek Bridge. Gastineau Channel Bridge investigation.	286, 67	2,732.98	3, 013, 16 51, 823, 16 51, 539, 57
Fairbanks Bridge	9, 190. 61	42, 632. 55	51, 823, 57
Fairbanks Bridge Brooks-Terminal Sled Road	71.00	4, 468. 57	-7 60.0
Taku Road reconnaissance		60.00	1 225. 2
Flagging trails. McDougal-Cache Creek Trail	681.39	3, 543. 89	1,622,13
McDougal-Cache Creek Trail		1,622.15	353.70
Matanuska reconnaissance.		353. 75	113. A 320. 25
Palmer-Mile 26 survey.		113. 70	$1, \frac{320.15}{537.15}$
Marshall Road. Long-Ophir survey.		320. 25 1, 537. 18	1,501
Dong Opini ourvey		1,001.10	576, 747.90
Total	76,716.15	500,031.75	570,1
	,	500,002.19	

BOARD OF ROAD COMMISSIONERS

Distribution of expenditur

Salaries (superintendents and clerks)
Wages (all other labor)
Transportation (persons)
Transportation (freight)
Hire of animals (horses and dogs)
Subsistence (persons, meals and beds)
Provisions (all food supplies)
Forage and care of animals (horseshoeing, veterina
Telegraph, telephone, and postage
Fuel (coal and wood) and light
Construction material
Equipment, tools, camp equipage, wagons, harness,
Stationery and drafting supplies, maps, printing, to
Rents (offices, post-office boxes, barns, or equipment
Motor vehicles, repairs, gas, operation, maintenance
Miscellaneous
Total
W
Brigadier General, Nati
,
\mathbf{P} .
$Lieuten ant\ Colonel,\ Infanti$
J. +
Captain, Corps of Engin
JUNEAU ATAGEA





ENGINEERS, U. S. ARMY, 1918.

nd it can be used effectively for pulling ag, weighing 1,200 pounds. he following machinery in 1919:

ths ton.

BSISTENCE.

was complicated this year by the conulations promulgated by the United d the scarcity of good economical cooks, variety and the tendency is to serve the meal. The extreme cost of transportaades of supplies be used. The bulk of late in the fall and are freighted in to ths. Perishables are purchased in the bids during the working season. The \$1.50 per day per man, not including it of railroad or steamer delivery, or

WORK ACCOMPLISHED.

T-J. C. HAYES, SUPERINTENDENT.

Island Road (4.1 miles road, 6.8 miles on this route consisted of replacing

liver Road (16 miles road, 14 miles Eagle River; also connects with Auk The Mendenhall Glacier, all dairies supples, two large power houses supplying and industries are reached by this road, creation drive of Juneau.

a light surfacing of gravel. It is nartherwise is very satisfactory for autochased for new bridge at Salmon Creek reput in. Amount expended for configuration of the put in the same of th

sion (connects at mile 10 with Juneauhe year 2½ miles were cleared and 1 mile
nstructed as follows: One 140 feet long,
t, three of 14 feet. Four culverts were
River Bridge was repaired. The comatly increase the value of the Juneauboats will then be able to anchor at Auk
nade with Juneau by road. The water
at times very rough and dangerous for
of 1918 labor was very scarce and work
June 30; \$15,174.51 was expended for
maintenance.

MILITARY AND POST ROADS, ETC., ALASKA.

Route 3. Haines-Pleasant Camp Road (47.5 miles wagon road).—Connects Fort Seward and Haines at tidewater with Pleasant Camp, on Canadian boundary. The Porcupine Gold Mining Co. and mines of the Glacier Creek Gold Mining Co. are reached by this road, which also connects at Pleasant Camp with Canadian Road to Rainy Hollow, where a very large copper district is being developed. Klukwan, the largest Indian village in Alaska, is located at mile 22. The location for 24 miles follows the Chilkat Valley where numerous ranches are located; \$8,398.73 was expended for maintenance, graveling, and replacing bridges.

Route 14. Sitka-Indian River Road (3.4 miles).—This road runs from Sitka to head of Jamestown Bay, passing through the Indian River Park, set aside by the Government. A new 50-foot Howe truss bridge was constructed and 2,000 feet of new road to reach

the bridge was provided; total cost, \$2,476.20.

Route 39. Juneau-Sheep Creek Road (3 miles).—This road connects Juneau with Thane, where the extensive mill of the Alaska Gastineau Mining Co. is located. The road has very heavy travel between the two towns and, as it was lightly surfaced, requires considerable upkeep; \$4,270.74 was expended for maintenance and improvement.

Route 40. Douglas-Gastineau Channel Road (2 miles).—Extends from city limits of Douglas along Gastineau Channel. Several ranches and homes are located along the road; \$659 expended for

maintenance and improvement of several soft places.

Route 43. Petersburg-Scow Bay Road (5 miles).—No expenditure during past year. The road was only partially constructed and will be completed by the United States Forestry Service and Territorial Road Commission when funds are available.

Route 44. Skagway Valley Road (2.5 miles).—When work was started the intention was to build from Skagway to Canadian boundary, 13.5 miles. The Canadian authorities agreed to build from boundary to White Horse, but were compelled to abandon the project temporarily. Present road is used by several ranches; \$1,966.63 was expended for protecting the bridge over Skagway River and for maintenance

Route 45. Silver Bow Basin Road (4 miles).—This road runs from Juneau to Alaska, Juneau, and Perseverance mines, and the Ebner mine of the United States Mining & Smelting Co. It follows the mountain side, is narrow, and has many steep grades. The route is much traveled and will be improved as funds and conditions will permit; \$5,049.55 was expended for maintenance and improvements.

Stikine River Trail (10 miles).—Constructed over a formerly impassable section between the Stikine River and tidewater. The work was done under the supervision of the United States district forester and in cooperation with the Bureau of Forestry: amount expended by the Alaska Road Commission, \$1,999.72.

VALDEZ DISTRICT.—C. G. MORRISON, C. E., DISTRICT ENGINEER.

Route 4A. Donnelly-Washburn sled road (55 miles).—Miscellaneous bridge repairs were made and temporary winter bridges across the several open channels of the Big Delta River were constructed. The temporary bridges were taken out in April, 1918, and stored for future use; amount expended, \$1,341.50.

Route 4B. Valdez-Ernestine Road (63 miles).—As usual, the maintenance on the section between miles 10 and 18 has been extremely heavy. Annually the extreme high water in the Lowe River, caused by the bursting of glacial reservoirs, necessitates the repair and oftentimes reconstruction of sections of grades in and below Keystone Canyon. This past season has been no exception. Whenever the crews are not engaged in general maintenance they are used in surfacing the bad stretches of road with gravel. This surfacing now extends, with the exception of a few short stretches, to Beaver Dam (mile 42), making the road passable even in the worst of the spring or rainy seasons. One mile of new grade was constructed in addition to general maintenance. The work of this spring consisted of repairing damages resulting from the break-up, building new roadto take the place of that destroyed, and constructing diversion spur dikes and placing fascine protection with the hope of preventing further damages and inroads from the glacier streams. It is believed that the unusually heavy maintenance cost of this section warrants relocating that portion of the road from mile 12 to mile 18, as the most of the money allotted to this route is usually expended for work in that vicinity. This change is roughly estimated to cost \$25,000; \$33,697.87 of the year's expenditure was charged to maintenance and \$20,500 to construction, a total of \$54,197.87.

Route 4C. Ernestine-Willow Creek Road (29.3 miles).—In addition to the ordinary maintenance, all graded portions of the road were dragged. One 24-foot bridge was constructed, 5 bridges and 21 culverts were rebuilt, and seven 6-foot culverts reconstructed. Numerous slides were removed and washouts filled. Approximately 700 cubic yards of gravel surfacing was placed in soft sections of the road. Two and one-fourth miles of new grade was constructed; \$7,535.18 was charged to maintenance and \$3,450 to construction.

Route 4D. Willow Creek-Gulkana Road (36 miles).—A small maintenance crew only was employed on this section during the latter part of the 1917 working season, as the road had been placed in excellent condition previous to July 1, 1917. At the end of the working season two large crews were concentrated here for a short period grading 4\frac{3}{4}\$ miles just north of Copper Center. In the spring the road was dragged several times and numerous culverts reconstructed. All cribbing was repaired and drainage ditches opened up. Three and one-half miles of new grade and 880 linear feet of ditches were constructed and 18 culverts were repaired, and 6 new culverts were built. Maintenance expenditures amount to \$19,654.26, with \$7,050 for construction.

Tazlina Bridge.—Work was completed prior to June 30, 1917. Expenditure of \$956.01 made during 1918 and charged to construction, for freight on material shipped from Seattle.

Route 4E. Gulkana-Sourdough Road (21.5 miles).—In addition to general maintenance there was constructed on this section 15 miles of new grade with the accompanying clearing and grubbing, 138 new culverts, and 1,250 feet of drainage ditches. Also old culverts were rebuilt. Maintenance, \$4,064.17: construction \$15,000

rebuilt. Maintenance, \$4,064.17; construction, \$15,000.

Route 4F. Sourdough-168 Mile Road (18.2 miles).—Only light maintenance was necessary on this section during the latter part of the 1917 working season as a large crew had worked here previous to July 1. In the spring of 1918 several culverts were reconstructed

and ordinary maintenance work was done. Ma

cures, \$11,517.54. Mile-Delta River Road (38 Route 4G. 168 maintenance of this section was supplemented mately 440 cubic yards of gravel surfacing, cle 100 feet 1 mile of road which was previously ble drifts until late in the season, placing 123 line constructing 118 linear feet of log culverts, and miles of road. The spring work on this section moval of numerous earth slides, the reconstruction verts, the removal of snowdrifts and glaciers from and culverts. The crew on its way into the int necessary to provide new end posts and top c mile 207, which had failed on account of the thich had become frozen to it. Two new frame feet span—one at mile 226 and the other at structed. Heavy dikes were built upstream from concentrate the glacier water at the bridge. construction, \$9,705.16.

Route 4H. Delta River-McCarty Road (73.4 able improvement was made in this road durithe 1917 season. In addition to the general metalenter of the 1917 season. In addition to the general metalenter of the season of the implementation of the season of the amount of 1 culverts. Gravel surfacing to the amount of 1 placed, and 3.2 miles of road were regraded. 65-foot framed truss bridge was constructed at and minor damages due to the break-up were were opened up and slides were removed. The erected for the McCarty ferry, and the scow was graded sections of the road were dragged.

Construction, \$22,101.

Route 4I. McCarty-Richardson Road (20.6 later part of the working season of 1917 no main on this section, as the entire length had been plus dition prior to the 1st of July, 1917. During the Section was put in excellent repair, the graded lands being dragged several times, and all univers and bridges replaced by new timber. bridge having a total length of 117 feet replaced Shaw Creek.

Maintenance, \$8,470; construction Road (24, had be 6A. Willow Creek-Tonsina Roa

Route 6A. Willow Creek-Tonsina Road (24) had been placed in good condition over its en month of June, 1917, no further maintenance remainder of the year. During the spring toughly dragged. Maintenance, \$2,832.51.

oughly dragged. Maintenance, \$2,832.51.

Route 6B. Tonsina-Chitina Road (15 miles general maintenance of this section, such as the bridges, cleaning out ditches, and repairs to placed 1,210 cubic yards of gravel surfacing. Ordinary maintenance was continued as well ments by placing gravel surfacing out to sharp turns, placing turnouts, and opening of Temporary loading bins were constructed at

e Road (63 miles).—As usual, the mainen miles 10 and 18 has been extremely ne high water in the Lowe River, caused reservoirs, necessitates the repair and sections of grades in and below Kevuson has been no exception. Whenever 1 general maintenance they are used in froad with gravel. This surfacing now of a few short stretches, to Beaver Dam passable even in the worst of the spring of new grade was constructed in addi-The work of this spring consisted of from the break-up, building new road troved, and constructing diversion spur rotection with the hope of preventing ls from the glacier streams. It is bevy maintenance cost of this section war-1 of the road from mile 12 to mile 18 lotted to this route is usually expended his change is roughly estimated to cost ear's expenditure was charged to mainruction, a total of \$54,197.87. w Creek Road (29.3 miles).—In addinance, all graded portions of the road bridge was constructed, 5 bridges and 21 seven 6-foot culverts reconstructed. ed and washouts filled. Approximately facing was placed in soft sections of the miles of new grade was constructed: intenance and \$3,450 to construction. -Gulkana Road (36 miles).—A small employed on this section during the latseason, as the road had been placed in to July 1, 1917. At the end of the workere concentrated here for a short period of Copper Center. In the spring the res and numerous culverts reconstructed. nd drainage ditches opened up. Three rade and 880 linear feet of ditches were were repaired, and 6 new culverts were tures amount to \$19,654.26, with \$7,050

s completed prior to June 30, 1917. Exuring 1918 and charged to construction, d from Seattle.

ough Road (21.5 miles).—In addition to as constructed on this section 15 miles panying clearing and grubbing, 138 new ainage ditches. Also old culverts were

4.17; construction, \$15,000.

Mile Road (18.2 miles).—Only light on this section during the latter part of a large crew had worked here previous 1918 several culverts were reconstructed

ordinary maintenance work was done. Maintenance expendi-\$11,517.54. шеs, \$11,517.54. Route 4G. 168 Mile-Delta River Road (38.8 miles).—General

Rouse To de this section was supplemented by placing approximaintenant 440 cubic yards of gravel surfacing, clearing to a width of mately 440 road which was previously the provided the provided the first test of the patery 1 mile of road which was previously blocked by deep snow-100 teet 1 miles of road without was previously blocked by deep snow-lifts until late in the season, placing 123 linear feet of corduroy, drifts until late in the season, placing 123 linear feet of corduroy, drifts until late in the season, placing 123 linear feet of corduroy, drifts of road. The spring work on this section consisted of the re-niles of road. The spring work on this section consisted of the re-niles of numerous earth slides, the reconstruction and remainder the remiles of numerous earth slides, the reconstruction and repair of culmova, the removal of snowdrifts and glaciers from the road, bridges, rerts, broats. The crew on its work in the front and repair of culreris, and culverts. The crew on its way into the interior in April found and can be interior in April found in necessary to provide new end posts and top chords for the bridge mile 207, which had failed on account of the settling of a glacier hich had become frozen to it. Two new framed truss bridges of 36 feet span—one at mile 226 and the other at mile 227—were confected. Heavy dikes were built upstream from these structures to structures to glacier water at the bridge. Maintenance, \$4,280; construction, \$9,705.16.

Route 4H. Delta River-McCarty Road (73.4 miles).—A considerable improvement was made in this road during the latter part of the 1917 season. In addition to the general maintenance there was the tructed 14.5 miles of new grade, one framed truss of 40 feet span in mile 208, 1,165 linear feet of diversion dike in mile 208, and 7 m mine 200, and 7 culverts. Gravel surfacing to the amount of 1,560 cubic yards was placed, and 3.2 miles of road were regraded. In the spring a new 65-foot framed truss bridge was constructed at mile 236. Washouts and minor damages due to the break-up were repaired. Snowdrifts were opened up and slides were removed. Two new towers were erected for the McCarty ferry, and the scow was recalked. Later the graded sections of the road were dragged. Maintenance, \$20,660;

construction, \$22,101.

Route 41. McCarty-Richardson Road (20.6 miles).—During the later part of the working season of 1917 no maintenance was required on this section, as the entire length had been placed in excellent condition prior to the 1st of July, 1917. During the spring of 1918 this section was put in excellent repair, the graded portions through low-lands being dragged several times, and all unsound flooring in culverts and bridges replaced by new timber. A new wooden truss bridge having a total length of 117 feet replaced the old structure at Shaw Creek. Maintenance, \$8,470; construction, \$2,006.83.

Shaw Creek. Maintenance, \$8,470; construction, \$2,006.83.

Route 6A. Willow Creek-Tonsina Road (24 miles).—As this road had been placed in good condition over its entire length during the month of June, 1917, no further maintenance was needed during the remainder of the year. During the spring this section was thor-

oughly dragged. Maintenance, \$2,832.51.
Route 6B. Tonsina-Chitina Road (15 miles).—In addition to the general maintenance of this section, such as the repair of culverts and bridges, cleaning out ditches, and repairs to the grade, there were placed 1,210 cubic yards of gravel surfacing. In the spring of 1918 ordinary maintenance was continued as well as extensive improvements by placing gravel surfacing cut to mile 13, widening all sharp turns, placing turnouts, and opening of two new gravel pits. Temporary loading bins were constructed at each of these pits, the

bins were filled by slip scrapers and team, material being hauled in the Koute 17. Fort Gibbon-Kattag Irau (251 meter) three auto trucks. Maintenance, \$10,280.55; construction, \$13,756 Fairbanks-Nome winter-mail trail, connecting the Kuskulana Bridge.—In fall of 1917, \$302.15 was expended for in Fort Gibbon with Kaltag, both places being on the spection and survey of site for proposed bridge across the Kuskulana Three small bridges were built by contract for \$10 spection and survey of site for proposed bridge across the Kuskulana Three small bridges were built by contract for \$10 specific across the Kuskulana Work consisted of temporarily staking open sections. River, about 10 miles northeast of Strelna, on the Copper River Rail work consisted of temporarily staking open sections. road. It is understood that the territorial road commission has the bridge under construction.

YUKON DISTRICT-C. G. MORRISON, C. E., DISTRICT ENGINEER.

Route 41. Richardson to Salchaket (30 miles) (Valdez-Fairbank Road).—Eight miles were graded and 115 culverts were constructed General maintenance from Fort Gibbon to mile 38. at a total cost of \$22,172.00. During arrives of 1010 della at a total cost of \$22,172.98. During spring of 1918 eight men was to mile 75 a new trail was cleared and a 75-foot brid employed removing slides, opening up ditches, bridges, and culve trail was removed. Through open country the trail was one crew of 20 men was employed 10 days on the Richardson beet by 4-inch stakes 10 feet high. The open country the entire section in excellent conditions. placing the entire section in excellent condition. Cost of main tenance, \$6,680.41.

Route 4K. Salchaket-Fairbanks (40 miles) (Valdez-Fairbank Road).—Twenty-one and one-half miles were graded on the new location made necessary by encroachment of the Tanana River. Three 40-foot bridges and 72 culverts were constructed. Construction cost \$43,805.71. The towers for the Munson ferry were rebuilt, and the scow was repaired. The whole section was dragged, and general maintenance work was done at a cost of \$5,400.71.

Route 5. Ester-Fort Gibbon Sled Road (148 miles).—This route is a part of the Fairbanks-Nome winter mail route. All culvers were repaired, and lakes and open country staked for the safe

guidance of winter travel. Cost, \$470.08.

Route 7D. Ester Creek Road (5½ miles).—Connects Ester Creek with Route 5 and forms part of winter mail route between Fairbank, and Nome. Road also runs from Fairbanks to the Department Agriculture Experimental Farm. The road was entirely regraded about 2 miles being on a new location; 25 culverts were constructed and 2,740 linear feet of corduroy was laid. Total cost of construction

Route 9. Rampart-Eureka Road (6½ miles road, 21½ miles std road).—Fourteen bridges and 24 culverts were rebuilt or repaired Other work consisted of general maintenance. Total cost, \$1,434;

Route 11A. Eagle-O'Brien Creek-Forty Mile Road (17 miles road).—From Eagle, on the Yukon River, to mines of Forty Mile Creek.—The works are the road in the road of the road o Forty Mile Creek. The work consisted in rebuilding and repairing bridges and culverts, clearing slides, widening grades, and general

maintenance. Total cost, \$1,614.

Route 11E. Eagle-Seventy Mile sled road (20 miles).—From Eagle.

Congress repair on Yukon River, to mines on Seventy Mile Creek. General repair and maintenance work was done to the amount of \$386.

Route 15. Circle-Miller House Road (49 miles).—From Circle Yukon River, to Miller Road House. In addition to general maintenance 1 mile of maintenance 1 mile of maintenance 1 miles of maintenance nance, 1 mile of road was reditched and graded and 89 culverts were rebuilt or repaired. Foot travelers now cross Birch Creek on a new overhead cable car. Total expended for maintenance, \$5,066.

Route 16. Chatanika Miller House sled road (81 miles).—All curts were reprint. verts were repaired, slides were removed, and general maintenance work was carried on. Cost, \$700.

Route 17. Fort Gibbon-Kaltag Trail (257 miles). Route 22. Hot Springs-Sullivan Creek Road Het Springs, on the Tanana River, to mining di-(reek. Work consisted of general maintenance,

and culverts. Cost of maintenance, \$1,352.82.

Route 29. Fort Gibbon-Koyukuk Trail (146 mir Gibbon, on the Yukon River, to Artic City, on the been very dangerous and has caused much hardshiping blizzards. Total cost for maintenance, \$330.

\$2,669.02. Route 30. Hot Springs Landing-Eureka Creek L From Hot Springs Landing to Eureka mining dist was chiefly confined to the section between Hot and Hot Springs Station, distance 2 miles. Four paired, four new culverts built, 665 feet of cords covered, and 2,100 feet of side ditches were cut. nance work was done on the entire section. During the spring of 1918 the Tanana River overflowed several bridges. These will be replaced during season. Cost of maintenance, \$1,678.88.

Route 38A. Ruby Long Road (28.25 miles).—Fi Yukon River, to the Long Creek mining distric 2,000 tons of freight were handled over this road General maintenance work was done on first 19 6,868.78. Nine miles of new road were construc-

for \$37,217.70. Fairbanks Bridge.—During the fall of 1917 the given two coats of paint and the amount, \$1,448 construction.

SOUTHWESTERN DISTRICT-ANTON EIDE, SUPERI

Route 24. Moose Pass Road (29.5 miles). Alaska Northern Railroad, to connection with I and Hope, on Turnagain Arm. This section has a able amount of gold and much ground has a kn mines are not operating extensively, on account of ditions and high cost of supplies. For these res Work consisted of widening the road and righter places, ditching, and general maintenance. In cloud, cloudburst did considerable damage and about work had to be done over; \$6,480.21 expended.
Route 10. Seward-Kenai Lake Road (7.75 mil in excellent condition until the heavy rains of Sel flood carried away entire section of road and damaged other bridges. In addition to construc

scrapers and team, material being hauled by 10 280 55: construction. R12 by scrapers and team, massive scrapers and team, massive scrapers and team, sintenance, \$10,280.55; construction, \$13,756. In fall of 1917, \$302.15 was expended for in the scrapes of bridge across the Kuskulin. In fall of 1911, \$502... site for proposed bridge across the Kuskulana of Strelna. on the Copper River pana ortheast of Strelna, on the Copper River Rail road commission has air that the territorial road commission has the

-C. G. MORRISON, C. E., DISTRICT ENGINEER.

in to Salchaket (30 miles) (Valdez-Fairbank, ere graded and 115 culverts were constructed ction in excellent condition. Cost of main

et-Fairbanks (40 miles) (Valdez-Fairbanks, and new loc. Total cost for maintenance, \$330.98; construction, and one-half miles were graded on the new loc. The Springs Landing-Fairbank Check B. 1 (20) in the Tanana B:

reek Road (5½ miles).—Connects Ester Creek

Eureka Road (6½ miles road, 21½ miles ski dges and 24 culverts were rebuilt or repaired of general maintenance. Total cost, \$1,434. O'Brien Creek-Forty Mile Road (17 miles road) -From Eagle, on the Yukon River, to mines on The work consisted in rebuilding and repairing clearing slides, widening grades, and general L cost, \$1,614.

Seventy Mile sled road (20 miles).—From Eagle

ork was done to the amount of \$386.

1. Cost, \$700.

Noute 17. Fort Gibbon-Kaltag Trail (257 miles).—A part of the house Nome winter-mail trail, connecting the Army post at Gibbon with Kaltag, both places being on the Ville Gibbon with Kaltag, both places being on the Yukon River. small bridges were built by contract for \$105. Maintenance pre consisted of temporarily staking open sections, at a cost of \$328.

Route 22. Hot Springs-Sullivan Creek Road (9 miles).—From Route Springs, on the Tanana River, to mining district at Sullivan Work consisted of general maintenance, repairing bridges Cost of maintenance, \$1,352.82.

Route 29. Fort Gibbon-Royukuk Trail (146 miles).—From Fort bon, on the Yukon River, to Artic City, on the Koyukuk River. maintenance from Fort Gibbon to mile 38. From this point ide 75 a new trail was cleared and a 75-foot bridge of Tile 72.98. During spring of 1918 eight men were to rected to rected the result of the rected to rected to rected the rected to rected. Through open country the trail was marked every 100 vas employed 10 days on the Richardson to rected the rected to rected the rected to rected to rected to rected the rected to rected to rected to rected the rected the rected to rected the rected the rected to rected the rected to rected the r very dangerous and has caused much hardship to travelers dur-

by encroachment of the Tanana River. Three Hot Springs Landing to Eureka mining district. Work done culverts were constructed. Construction of the Tanana River. Three Hot Springs Landing to Eureka mining district. Work done culverts were constructed. culverts were constructed. Construction cost from Hot Springs Landing to Eureka mining district. Work done culverts were constructed. Construction cost from Hot Springs Landing or from the Munson ferry were rebuilt, and the The whole section was dragged, and general section was dragged, and general section at a cost of \$5,400.71.

If Gibbon Sled Road (148 miles).—This route banks-Nome winter mail route. All culverts have and open country staked for the safe verel, Cost, \$470.08.

Cost of maintenance, \$1,678.88.

Route 38A. Ruby Long Road (28.25 miles).—From Ruby, on the ns part of winter mail route between Fairbank, so runs from Fairbanks to the Department of na new location; 25 culverts were constructed of corduroy was laid. Total cost of construction of corduroy was laid. Total cost of construction of the state of t

Fairbanks Bridge.—During the fall of 1917 the entire bridge was even two coats of paint and the amount, \$1,448.03, was charged to

construction.

SOUTHWESTERN DISTRICT-ANTON EIDE, SUPERINTENDENT.

Route 24. Moose Pass Road (29.5 miles).—From mile 29, on Alaska Northern Railroad, to connection with Route 12 to Sunrise and Hope, on Turnagain Arm. This section has produced a considerable amount of gold and much ground has a known value, but the mines on Seventy Mile Creek. General repair mines are not operating extensively, on account of present labor concitions and high cost of supplies. For these reasons travel is light, Hiller House Road (49 miles).—From Circle of Fork consisted of widening the road and right of way in many ler Road House. In addition to general mainter places, ditching, and general maintenance. In September, 1917, a least reditched and graded and 89 culverts were doubtrest did considerable damage and about half of the season's Foot travelers now cross Birch Creek on a new work had to be done over; \$6,480.21 expended.

Total expended for maintenance, \$5,066.

Route 10. Seward-Kenai Lake Road (7.75 miles).—This road was

ka Miller House sled road (81 miles).—All current food carried away entire section of road and several bridges and damaged other bridges. In addition to constructing two new 80-foot Howe truss bridges at mile 3½, other bridges were repaired and damaged sections of road were rebuilt. Expenditures for maintenance and repair amounted to \$8,295.34, and the cost of the new

bridge was \$2,281.75, a total of \$10,577.09.

Route 12. Mile 34, Alaska Northern Railroad-Hope Road (31 miles wagon road, 9 miles sled road).—Work embraced widening road and right of way, replacing small bridges and culverts, and cutting out windfalls. Two miles of completely washed-out road were repaired and general maintenance performed, at a total cost of \$5.972.19.

Route 35. Knik-Willow Creek Road (34 miles).—From Knik, on Knik Arm, to crossing of Government railroad at Wasilla, thence to Willow Creek mining district. Reaches a most promising quartzmining district, producing about \$250,000 per year, with strong indications of great increase and long life. Value of ore per ton is high and although there is a shortage of labor and cost of supplies is here. these conditions are not as serious as in the low-grade districts. The last year was very wet, and road work was expensive. Twenty-eight acres of grubbing was done, in widening right of way, bridges and culverts were repaired, 4 miles were regraded, and gravel surfacing was placed on 2 miles. One new 35-foot frame bent bridge was constructed at mile 19 and a 14 by 16 warehouse was erected at Wasilla. A total of \$22,696.39 was expended, \$1,275 of which was for construction and the balance for maintenance and improvement.

Route 35A. Archangel extension (3 miles).—Connects with Knik-Willow Creek Road at mile 32. The road is entirely above timber line and all culvert and bridge material is hauled a long distance. Several culverts were constructed and material for a bridge over Archangel Creek was delivered. One and one-half miles of road was graded and one-half mile was lightly graveled, 300 linear feet of corduroy was laid, and several culverts were built: \$733.35 ex pended for maintenance and \$1,534 for construction; total, \$2,267.35


Talkeetna-Cache Creek Road (42 miles sled road and summer trail).—From point on United States Government railroad location at Talkeetna to the Cache Creek mining district. A good winter road, which is also passable for pack animals in summer, was constructed during the year. The Cache Creek district is one of large area and promises to be very productive. The production justifice improving the route for wagon traffic, and it is hoped to start this improvement within the next two years. Expenditures were \$4,634.50, all for construction.

Palmer-Mile 261 Road (8 miles).—From Palmer, on Govern ment railroad, to mile 26, on the Knik-Willow Creek Road. Six miles of right of way was cleared, material for 1,500 feet of corduror and timber for culverts was delivered. The clearing and grubbing winter sled road during the coming fiscal year. Further improvement will not be warranted until the farming country shows more development. Cost of work, \$7,906.69.

Hiamna Bay Road (10 miles).—From Iliamna Bay to Iliamna Village, on Iliamna Lake, where water connection is made with Bristol Bay. Eight miles of trail were buitt. The season closed before work was accompletely a season closed by fore work was completed, and 2 miles remain to be constructed. was greatly damaged by storms in September, 1917, but was repaired. Approximately \$3,000 will be required to finish the road, as the bal-



VALDEZ-FAIRBANKS ROAD. THOMPS(ELEVATION 2,745 FEET. JULY




SEWARD RADIO RO

98772-19, (To face page 16.)



OM MILE 1 ON VALDEZ-FAIRBANKS ROAD.



GE. THROUGH SPANS, 100 FEET AND 150 FEET. CONSTRUCTED 1918.



SEWARD-KENAI LAKE ROAD.

ance of allotment and available funds were not sufficient to complete

the project. Amount expended, \$6,781.52.

Matanuska Bridge (over Palmer Canyon).—This bridge was erected to provide an outlet to the Government railroad for a farmereccommunity on the east side of the Matanuska River. It consists ing continuous of the case side of the matanuska raiver. It consists of one 150-foot combination span, one 100-foot combination span, and 190 feet of trestle approach. The season for construction was unfavorable, on account of deep frost, running ice, and high water. all material except piling was shipped from Seattle. The cost of struction was as follows:

construction material from Palmer to bridge site. Freight on material from Palmer to bridge site.	\$834.00
Freight on material from Palmer to budge site. Piles and crib timbers, delivered. Piles and ribos (3.780 linear feet).	885, 82
Freigned crib timbers, delivered	000.04
Piles amiles (3.780 linear feet)	2,050.00
- 1810 Lates (8170) Times	450 (10)
Piles and crib timbers, delivered piles and crib timbers, delivered priving piles (3,780 linear feet). Overhauling iron and refitting timbers.	776.48
Doising thusberry	316 00
Putting on decking and hand rails. Building piers and abutments.	366, 60
ding piers and abutments	499.00
Building piers and abutments Filling piers	499, 00
Filling Launervision	600, 00
General Super Made Engineering Commission	300,00
General supervision General from Alaska Engineering Commission. Material from Santtle and freight on same.	15,224,25
Material from Alaska Engineering Commission. Material from Seattle and freight on same.	
	22, 252, 15

Palmer-Matanuska Bridge Road (1.5 miles).—Connects Palmer Station on Government railroad with the new Matanuska Bridge. The work consisted in clearing and grubbing 500 feet of corduroy for wet sections, and light grading. Total cost, \$2,489.71.

Kahilina Bridge.—The September, 1917, storm carried away a part of the approach, which was replaced, and other repairs were

made, at a total cost of \$347.10.

Seward-Radio Road (14 miles).—Connects at Mile 2 with Seward-Kenai Lake Road and runs to United States naval radio station. Work was started June 8 at the request of the Secretary of the Navy, the cost, estimated at \$6,500, to be reimbursed by the Navy Department. One mile was cleared and grubbed, 500 feet lightly surfaced with gravel, 18 piles for bridges have been driven, and bridge material is being delivered. Total cost to June 30, 1918, \$2,589.15.

Route 20D. Tacotna-Ophir Road (23.5 miles, 7.4 miles con-

structed).—One and six-tenths miles were constructed on the Tacotna end and right of way cleared to mile 2.8; 5.8 miles were constructed on the Ophir end. The two camps produce approximately \$100,000 per year in gold. It is hoped that funds will become available so the two ends can be connected by a cleared right of way and necessary bridges and culverts provided. Total amount expended was \$19,949.52.

Knik-Susitna Trail (30 miles).—Ordinary main-Route 20A.

tenance cost \$253.59.

Route 20B. Susitna-Rainy Pass Trail (127 miles).—Maintenance \$253.59.

Route 20C. Rainy Pass-Tacotna Trail (130 miles).—Mainte-

nance, \$263.79.

Work consisted of reblazing trees, erecting tripod markers where required, clearing away windfalls, and repairing three bridges. Expended for maintenance, \$567.83.

NOME DISTRICT .- DANIEL A. JONES, SUPERINTENDENT.

Nome-Council Road (82 miles: 60 miles constructed). Nome-Fort Davis section (3½ miles). Work consisted of general maintenance, blasting out ice and opening channels under bridges in the spring, and graveling 4,800 feet of road.

Fort Davis-Cape Nome (9 miles).—This section was turned over to Territorial road commission, who constructed 2½ miles at a cost

of approximately \$19,000.

Cape Nome section (2 miles).—General maintenance expenditures,

\$228

Solomon-East Fork (15 miles).—Connects Bonanza Ferry, the landing place for boats, with East Fork-Council Road. During open season traffic amounts to about 8 tons per day. General main; tenance work was performed.

East Fork to Fox River (25 miles).—Connects Solomon-East Fork Road with Council Corduroy. Combination road and trail. Its improvement has been taken over by the Territorial road com-

mission.

Council-Corduroy (51 miles).—Connects Fox River with Council City. Territorial road commission is improving this section and spent a total of \$5,300 during past year. The Safety and Bonanza ferries were maintained on this route at a cost of \$906. Total expenditures for maintenance, Route 8, by Alaska road commission,

Route 13A. Nome-Bessie Road (3.29 miles).—Connects Nome with the Third Beach line. It serves to supply districts north of Nome. It is estimated that 30 tons of freight are hauled over this road daily, throughout the year. One thousand yards of gravel were hauled and spread by auto truck at a cost of 90 cents per cubic yard, the average haul being 1½ miles. The crib piers of the Dry Creek Bridge were undermined by the spring freshet and had to be replaced by pile bents and the bridge generally overhauled at a total cost of \$798.40. The fill crossing Dry Creek was widened 2 feet for a distance of approximately 300 feet, and a stone wall approximately 300 feet, and a stone wall approximately 300 feet. 4 feet high and 300 feet long was built on the upstream side. The cost of maintenance during the break-up was \$375. Work consisted of opening culverts, clearing ditches, and opening the channels under the Dry and Bourbon Creek bridges. Total maintenance cost,

Route 13B. Bessie-Banner Road (3.46 miles).—Connects the Bessie with Banner station. It serves to supply Anvil and Glacier Creeks and all upper Snake River points. It is estimated that 4 tons per day are hauled during the open season. Work consisted of surfacing 7,515 feet with gravel, 1,671 cubic yards of gravel and rock having been hauled at a cost of \$1.28 per cubic yard, average haul one-fourth mile. Twelve culverts cost \$11 each; 2,100 feet of ditch was dug at a cost of 9 cents per foot. The entire road was rolled with a road roller drawn by auto truck, at a cost of \$62.50. Main tenance, \$3,038.52; construction, \$2,200.

Route 13C. Bessie-Little Creek Road (1.25 miles).—Connects Nome-Bessie Road with Little Creek. Supplies the Third Beach line west of the Bessie and Little Creek. It is estimated that 10 tons daily are hauled over this road. During past year 2,600 feet of road was surfaced, 691 cubic yards of gravel having be per cubic yard, average haul one-fourth mile. with a road roller drawn by an auto truck, at a tenance, \$849.17.

Route 13D. Bessie-Dry Creek Road (1.25 m Nome-Dexter Road with the Nome-Osborne camps on the Third Beach Line between Bessie is estimated that 100 tons of freight were hauled

tenance, \$202.20.
Route 13E. Dry Creek-Newton Road (0.33 of the Bessie-Dry Creek with the Dry Creek-Osbor penditure during the past year and no freight ha

Route 13 F. Nome-Osborne Road (4 miles).— Creek-Newton Road with Osborne Creek. Supj and vicinity. Estimated 21 tons hauled daily Work consisted of general maintenance; 250 cu hauled at \$1.73 per yard, average haul one-half n resurfaced; 5,310 feet of ditch made at 3 cents pc culverts taken out, repaired, and lowered at \$3 \$824.41; construction, \$85.30.

Route 13G. Grass Gulch (1.75 miles).—Connec with King Mountain, and supplies mines on Gras and King Mountain. No expenditures during ye Route 13H. Center Creek Road (1.37 mi

Nome-Bessie with Center Creek camps. No exp

Route 131. Nome River Extension (5 miles) Creek with upper Nome River camps and supplie points. Five hundred and thirty linear feet surf yards of gravel, costing 80 cents per cubic yard Other work consisted of maintenance during Maintenance, \$195.85.

Route 13J. Wonder-Flat Creek (2 miles).—C Little Creek Road with Wonder and Flat Cree camps on Wonder and Flat Creeks and lower Lit hundred tons of freight hauled over road during which consisted of material for a dredge which Flat Creek; 2,050 linear feet was resurfaced with cubic yard, average haul one-fourth mile. M

Route 13K. Bessie-Buster (5 miles).—Conne-Dexter and Buster Creeks. It is estimated that 4 hauled over route: 19,750 linear feet was surface of gravel having been hauled at \$1.06 per cubic one-fourth mile; 9,500 feet of ditch cost 8 cents four 2 by 2 culverts were built at a cost of \$4,090.39; construction, \$6,315.47.

Route 18. Kaltag-Solomon Trail (248 miles) Yukon River to Solomon on the Nome Council

general maintenance cost \$328. Route 21. Unalaklik-St. Michael Trail (65) \$21.50.

-- DANIEL A. JONES, SUPERINTENDENT.

il Road (82 miles; 60 miles constructed). n (3½ miles). Work consisted of general it ice and opening channels under bridges ing 4,800 feet of road.

(9 miles).—This section was turned over nission, who constructed 2½ miles at a cost

miles).—General maintenance expenditures

5 miles).—Connects Bonanza Ferry, the , with East Fork-Council Road. During nts to about 8 tons per day. General main

r (25 miles).—Connects Solomon-East Fork duroy. Combination road and trail. Its taken over by the Territorial road com-

miles).—Connects Fox River with Council commission is improving this section and uring past year. The Safety and Bonanza on this route at a cost of \$906. Total exnce, Route 8, by Alaska road commission

ie Road (3.29 miles).—Connects Nome with t serves to supply districts north of Nome. tons of freight are hauled over this road ear. One thousand yards of gravel were to truck at a cost of 90 cents per cubic yard. 1½ miles. The crib piers of the Dry Creek by the spring freshet and had to be replaced oridge generally overhauled at a total cost ssing Dry Creek was widened 2 feet for a ly 300 feet, and a stone wall approximately long was built on the upstream side. The ng the break-up was \$375. Work consisted ing ditches, and opening the channels under Creek bridges. Total maintenance cost,

iner Road (3.46 miles).—Connects the Bes-It serves to supply Anvil and Glacier ke River points. It is estimated that 4 tons g the open season. Work consisted of suravel, 1,671 cubic yards of gravel and rock cost of \$1.28 per cubic yard, average haul culverts cost \$11 each; 2,100 feet of ditch ents per foot. The entire road was rolled by auto truck, at a cost of \$62.50. Main-

ruction, \$2,200. ttle Creek Road (1.25 miles).—Connects Little Creek. Supplies the Third Beach d Little Creek. It is estimated that 10 tons is road. During past year 2,600 feet of road

was surfaced, 691 cubic yards of gravel having been hauled at \$1.52 read of yard, average haul one-fourth mile. The road was rolled per cubic yard roller drawn by an auto truck, at a cost of \$20. per current a road roller drawn by an auto truck, at a cost of \$30. Mainwith a road s849.17.

winance, \$849.17. Route 13D. Bessie-Dry Creek Road (1.25 miles).—Connects the Route 10D. Brooke-Dry Creek Road (1.25 miles).—Connects the Nome-Dexter Road with the Nome-Osborne Road. Supplies all Nome on the Third Beach Line between Bossia and D. Copplies all Nome-Death Third Beach Line between Bessie and Dry Creeks. It camps on the Third Beach Line between Bessie and Dry Creeks. It camps and Dry Creeks. It is estimated that 100 tons of freight were hauled during year. Main-

tenance, \$202.20.
tenance, \$202.20.
tenance, 13E. Dry Creek-Newton Road (0.33 of a mile).—Connects
Route is Dry Creek with the Dry Creek Order. the Bessie-Dry Creek with the Dry Creek-Osborne Roads. No expenditure during the past year and no freight hauled.

penalture 13 F. Nome-Osborne Road (4 miles).—Connects the Dry Road with Osborne Creek. Supplies Osborne Creek work consisted of general maintenance; 250 cubic yards of gravel work at \$1.73 per yard, average haul one-half mile; 2,680 feet were hauled at \$1.30 feet of ditch made at 3 cents per manufaced. resurfaced; 5,310 feet of ditch made at 3 cents per running foot; five resultiverts taken out, repaired, and lowered at \$3 each. Maintenance \$824.41; construction, \$85.30.

Route 13G. Grass Gulch (1.75 miles).—Connects the Nome-Bessie with King Mountain, and supplies mines on Grass and Deer Gulches,

and King Mountain. No expenditures during year.

Route 13H. Center Creek Road (1.37 miles).—Connects the Nome-Bessie with Center Creek camps. No expenditure during the

Route 131. Nome River Extension (5 miles).—Connects Dexter year. Creek with upper Nome River camps and supplies upper Nome River points. Five hundred and thirty linear feet surfaced with 142 cubic vards of gravel, costing 80 cents per cubic yard to haul and spread. Other work consisted of maintenance during spring break-up. Maintenance, \$195.85.

Wonder-Flat Creek (2 miles).—Connects the Bessie-Route 13J. Little Creek Road with Wonder and Flat Creeks. It supplies the camps on Wonder and Flat Creeks and lower Little Creek. Thirteen hundred tons of freight hauled over road during past year, most of which consisted of material for a dredge which was constructed on Flat Creek; 2,050 linear feet was resurfaced with gravel at \$1.18 per cubic yard, average haul one-fourth mile. Maintenance, \$849.96.

Route 13K. Bessie-Buster (5 miles).—Connects the Bessie with Dexter and Buster Creeks. It is estimated that 40 tons per month are hauled over route; 19,750 linear feet was surfaced, 3,615 cubic yards of gravel having been hauled at \$1.06 per cubic yard, average haul one-fourth mile; 9,500 feet of ditch cost 8 cents per foot. Twentyfour 2 by 2 culverts were built at a cost of \$108. Maintenance, \$4.090.39; construction, \$6,315.47.

Route 18. Kaltag-Solomon Trail (248 miles).—From Kaltag on Yukon River to Solomon on the Nome Council Road. Staking and general maintenance cost \$328.

Route 21. Unalaklik-St. Michael Trail (65 miles).—Maintenance

\$21.50.

Route 25. Sinrock Ferry.—The expense of maintaining this ferry consisted of the salary of the ferryman, employed for five months a monthly salary of \$50, or \$250.

Route 25A. Cripple River Road (12 miles).—Connects the coast with Cripple River. No expenditures were made on this road during

the past year.

Route 25B. Penny River Road (17 miles).—Connects the coast at mouth of Penny River with Oregon Creek. It is a combination road and trail. No expenditures.

Route 25C. Nome Wireless Road (800 feet).—Connects Nome with

the wireless station. No expenditures.

Route 25D. Mouth of Center Creek Road (225 miles).—Connects Nome with the mouth of Center Creek. Supplies Lower Snake River and Lower Center Creek camps. An average of 3 tons day hauled; 3,000 feet surfaced with gravel at \$1.26 per cubic yard

average haul 2,000 feet. Maintenance, \$846.33.

Route 25E. Submarine Paystreak Road (3 miles).—Connects Nome with the Submarine paystreak which parallels the coast west of Nome. Hauling estimated at 7 tons per day. Twenty-three cut verts, 2 feet square and 16 feet long, were constructed at \$14.16 each; 1,888 cubic yards of gravel hauled at \$1.06 per yard; 2,030 feet of road constructed with grading machine and slip scrapers, costing forty-nine cents per linear foot; 5,000 feet of ditch, averaging 18 inches on the bottom and 2 feet deep, were constructed for 7 cents per foot. Construction, \$3,867.63.

25 F. Anvil-Glacier Road (3 miles).—Connects Bessie Banner Road with the Snake River Road. Supplies Glacier Creek and all Snake River points. Hauling estimated at 5 tons per day 4,870 linear feet was surfaced with gravel at \$1.59 per yard, average haul one-fourth mile; 655 feet of road was constructed, using slip scrapers and material from tailing piles, for \$151.80. Six thousand feet of ditch cost 9 cents per foot. Maintenance, \$530; construction.

Route 25G. Snake River Extension Road (3 miles).—Connects Anvil-Glacier with Snake River and its tributaries. Three tons per day are hauled over this road. Work consisted of general mainter nance, and cost \$125.06.

Route 25 H. Otter Creek Road (1.25 miles).—Connects Nomeral Fort Davis Road with Otter Creek and vicinity. Has not been used

for three years and no work done.

Route 25. Bull Creek Bridge.—Crossing Bull Creek, which is on the trail from the coast to Sunset Creek. Cost of repairs, \$68.25. Route 25. Snake River Bridge.—Work consisted of hauling and

placing 40 cubic yards of rock around center pier; \$99.38.

Route 26. Candle-Candle Creek Road (9 miles).—Connects Candle with Candle Creek camps. Estimated 1,000 tons hauled during sum mer and winter. Work consisted of laying 10,150 feet of willow corduroy, which was covered with material plowed and scraped from near the road bed, at 28 cents per linear foot. In addition, 1,005 cubic wards of gravel mark him linear foot. cubic yards of gravel were hauled at \$1.67 per cubic yard; 7,540 feet of ditch was constructed at 2 cents per foot; twenty-five 2 by

feet culverts 16 feet long were constructed for \$13 bundles of willows were bound in bundles of ap pounds each and delivered along the right of way \$849.91; construction, \$5,013.65.

Route 27. Deering-Inmachuck Road (25 miles). ing with Inmachuck River points and supplies the and its tributaries. Approximately 800 tons were road during the year. Road turned over to Terri mission, who expended \$1,500 during the past year

Route 28. Dahl Creek-Candle Trail (140 miles).nently staked trail running from Dahl Creek in the trict to Candle, a distance of 140 miles. The w straightening and replacing broken and missing st

Route 42. St. Michael-Kotlik Trail (70 miles). coast between St. Michael and Kotlik. General;

Route 49. Davidsons Landing-Taylor Creek Ra. constructed).—This road runs from Davidsons Lan water navigation, to Taylor Creek. It is estimated 1,000 tons are hauled over this road yearly. No

made during the year. Fortuna Ledge, or Marshall City Road (41 m landed from river steamers at Fortuna Ledge ar boats of lighter draft a distance of 12 miles to t The road is constructed from the landing to Wi Four hundred tons of freight were hauled over row year. The sum of \$4,662.50 was expended by the mission in the spring of 1917, the work being puthat year. The work consisted of getting out right of way 9,000 poles and 1,000 stringers for co was later turned over to and completed by the Ter mission, at a cost of \$10,232.44.

Flagging trails.—Each year approximately 550 addition to those permanently marked, are stak This is necessary for the guidance and About 100 miles of trail to different can staked by freighters and interested parties with by the commission. These lath trails vary each ye work going on in the different localities. The during the past winter, including expenses of

superintendent, was \$4,490.70.

Nome office.—The sum of \$249.50 was expended ing. The work consisted of raising and levelling painting, and the purchase of linoleum for the fic

STATEMENT OF RECEIPTS AND DISBURS

This report covers vouchers received and pla including June 30, 1918:

y.—The expense of maintaining this ferry the ferryman, employed for five months at or \$250.

iver Road (12 miles).—Connects the coast expenditures were made on this road during

ver Road (17 miles).—Connects the coast or with Oregon Creek. It is a combination enditures.

eless Road (800 feet).—Connects Nome With

o expenditures.

Center Creek Road (225 miles).—Connects of Center Creek. Supplies Lower Snake r Creek camps. An average of 3 tons daily aced with gravel at \$1.26 per cubic yard

Maintenance, \$846.33.

e Paystreak Road (3 miles).—Connects Nome avstreak which parallels the coast west of ated at 7 tons per day. Twenty-three cul-16 feet long, were constructed at \$14.16 each. avel hauled at \$1.06 per yard; 2,030 feet of grading machine and slip scrapers, costing near foot; 5,000 feet of ditch, averaging 18 ad 2 feet deep, were constructed for 7 cents per

lacier Road (3 miles).—Connects Bessle. Snake River Road. Supplies Glacier Creek oints. Hauling estimated at 5 tons per day urfaced with gravel at \$1.59 per yard, average 655 feet of road was constructed, using slip from tailing piles, for \$151.80. Six thousand ats per foot. Maintenance, \$530; construction

River Extension Road (3 miles).—Connects take River and its tributaries. Three tons per this road. Work consisted of general mainte-

Creek Road (1.25 miles).—Connects Nome 1 Otter Creek and vicinity. Has not been used

) work done.

ek Bridge.—Crossing Bull Creek, which is on ast to Sunset Creek. Cost of repairs, \$68.25. liver Bridge.—Work consisted of hauling and

s of rock around center pier; \$99.38.

'andle Creek Road (9 miles).—Connects Candle mps. Estimated 1,000 tons hauled during sumork consisted of laying 10,150 feet of willow covered with material plowed and scraped from at 28 cents per linear foot. In addition, 1,000. This report covers volumere hauled at \$1.67 per cubic yard; 7,540 feet including June 30, 1918: ucted at 2 cents per foot; twenty-five 2 by !

culverts 16 feet long were constructed for \$13.70 each: 3,382 leeb dles of willows were bound in bundles of approximately 50 bundles each and delivered along the miles of approximately 50 builds each and delivered along the right of way. Maintenance, 1849.91; construction, \$5,013.65.

Route 27. Deering-Inmachuck Road (25 miles).—Connects Deerwith Inmachuck River points and supplies the Inmachuck River ing its tributaries. Approximately 800 tons were hauled over this during the year. Road turned over to Territorial road comrosion, who expended \$1,500 during the past year for maintenance.

Route 28. Dahl Creek-Candle Trail (140 miles).—This is a permanearly staked trail running from Dahl Creek in the Kougarok dis-nearly staked trail running from Dahl Creek in the Kougarok dis-rict to Candle, a distance of 140 miles. The work consisted of trice the work consisted of traightening and replacing broken and missing stakes at a cost of

50.

Route 42. St. Michael-Kotlik Trail (70 miles).—Follows along between St. Michael and Kotlik. General maintenance cost coast between St. Michael and Kotlik. General maintenance cost

Route 49. Davidsons Landing-Taylor Creek Road (40 miles, 24 constructed).—This road runs from Davidsons Landing, the end of rater navigation, to Taylor Creek. It is estimated that from 800 to 1,000 tons are hauled over this road yearly. No expenditures were

made during the year.

Fortuna Ledge, or Marshall City Road (41 miles).—Freight is landed from river steamers at Fortuna Ledge and transferred by hoats of lighter draft a distance of 12 miles to the upper landing. The road is constructed from the landing to Willow Creek mines. Four hundred tons of freight were hauled over road during the past year. The sum of \$4,662.50 was expended by the Alaska road commission in the spring of 1917, the work being paid for in July of that year. The work consisted of getting out and piling on the right of way 9,000 poles and 1,000 stringers for corduroy. The road was later turned over to and completed by the Territorial road commission, at a cost of \$10,232.44.

Flagging trails.—Each year approximately 550 miles of trail, in addition to those permanently marked, are staked after snow has fallen. This is necessary for the guidance and safety of winter About 100 miles of trail to different camps and creeks are staked by freighters and interested parties with flag lath furnished by the commission. These lath trails vary each year according to the work going on in the different localities. The total cost of work during the past winter, including expenses of inspection trips by

superintendent, was \$4,490.70.

Nome office.—The sum of \$249.50 was expended on the office building. The work consisted of raising and levelling building, papering, painting, and the purchase of linoleum for the floor.

STATEMENT OF RECEIPTS AND DISBURSEMENTS.

This report covers vouchers received and placed in the account

MILITARY AND POST ROADS, ETC., A

EXPENDITURES IN DETAIL—continued

Route 20C Route 20D Route 21. Route 21. Route 22. Route 24. Route 25D Route 25E Route 25E Route 25F Sinrock Ferry Bull Creek Bridge Sinke River Bridge Route 26. Route 28. Route 28. Route 28. Route 29. Route 35, first section Route 35, second section Route 35, second section Route 38A, per section Route 38A, second section Route 38A, second section Route 38B Route 39 Route 40. Route 42. Route 44. Route 45. Route 45. Route 46. Route 47. Route 48. Route 48. Route 48. Route 49. Route 49. Route 40. Route 41. Route 42. Route 43. Route 44. Route 45. Route 46. Route 47. Route 48. Route 48. Route 49. Route 49. Route 40. Route 41. Route 42. Route 43. Route 44. Route 45. Route 46. Route 47. Route 48. Route 49. Route 49. Route 40. Route 4	3, 867. ê 2, 648. 2 5, 013. ê 2, 669. û 300. 975. 37, 217.
Route 20D. Route 21. Route 22. Route 24. Route 25D. Route 25E. Route 25F. Route 25F. Sirrock Ferry Bull Creek Bridge. Snake River Bridge. Route 26. Route 28. Route 29. Route 29. Route 28. Route 30. Route 35, first section. Route 35, first section. Route 38A, first section. Route 38A, second section Route 38A, second section Route 38A, second section. Route 38A, second section. Route 38A, third section. Route 38B. Route 40. Route 41. Route 42. Route 45. Fairbanks Bridge. Flagging Trails Kahlltna Bridge. Mile 24, Road. Archancel Road.	3,867.6 2,648.2 5,013.6 2,669.0 300.975.
Route 21. Route 24. Route 25. Sinrock Ferry Bull Creek Bridge. Snake River Bridge. Route 28. Route 28. Route 29. Route 29. Route 28. Route 29. Route 35. first section. Route 38.A, first section. Route 38.A, second section Route 38.A, second section Route 38.A, second section Route 38.A, second section Route 38.A, third section. Route 38.B, third section Route 39. Route 40. Route 40. Route 41. Route 42. Route 44. Route 45. Flagging Traiis. Kahiltna Bridge. Flagging Traiis. Kahiltna Bridge. Mile 26. Road Archangel Road	3, 867. ê 2, 648. 2 5, 013. ê 2, 669. û 300. 975. 37, 217.
Route 24. Route 25D. Route 25E. Route 25F. Route 25F. Route 25F. Route 25F. Sinrock Perry Buil Creek Bridge. Snake River Bridge. Route 26. Route 28. Route 28. Route 28. Route 28. Route 28. Route 35. first section. Route 35. first section. Route 38A, second section Route 38B, second section Route 38B, second section Route 38B, Route 39. Route 49. Route 40. Route 41. Route 42. Route 45. Fairbanks Bridge. Flagging Trails Kahiltna Bridge. Mile 24, Road Archangel Road	3, 867, 6 2, 648, 2 5, 013, 6 2, 669, 0 975, 1 37, 217.
Route 25E Route 25E Route 25F Route 25G Sinrock Ferry Bull Creek Bridge Route 26 Route 28 Route 28 Route 28 Route 35, first section Route 35, second section Route 35, second section Route 38A, first section Route 38A, second section Route 38A second section Route 38A second section Route 38A second section Route 38A (mrd section Route 39 Route 40 Route 40 Route 41 Route 42 Route 44 Route 45 Fairbanks Bridge Flagging Trails Kahlltna Bridge Mile 26d, Road Archangel Road	5,013.6 2,669.0 300.6 975.0 37,217.
Route 25F. Sinrock Ferry Sinrock Ferry Bull Creek Bridge Snake River Bridge Route 28. Route 28. Route 28. Route 25, first section. Route 35, first section. Route 38A, first section. Route 38A, second section Route 38A, second section Route 38A, second section Route 38A, second section Route 38B. Route 39B. Route 40. Route 40. Route 42. Route 44. Route 45. Fairbanks Bridge. Flagging Trails Kahiltna Bridge. Kile 264, Road Archangel Road	5,013,6 2,669,6 300,975,6 37,217.
Route 25F. Sinrock Ferry Sinrock Ferry Bull Creek Bridge Snake River Bridge Route 28. Route 28. Route 28. Route 25, first section. Route 35, first section. Route 38A, first section. Route 38A, second section Route 38A, second section Route 38A, second section Route 38A, second section Route 38B. Route 39B. Route 40. Route 40. Route 42. Route 44. Route 45. Fairbanks Bridge. Flagging Trails Kahiltna Bridge. Kile 264, Road Archangel Road	5,013,6 2,669,6 300,975,6 37,217.
Route 25G. Sinrock Ferry Bull Creek Bridge Snake River Bridge Route 26. Route 28. Route 29. Route 35, first section. Route 38A, first section. Route 38A, second section Route 38A, second section Route 38A, second section. Route 38A, second section. Route 38A, second section. Route 38A, second section. Route 38B, second section. Route 38B, Route 38B. Route 49. Route 40. Route 42. Route 45. Fairbanks Bridge. Flagging Trails Kahiltna Bridge. Mile 2th Road Archanuel Road	5,013.6 2,669.0 300.0 975.0 37,217.
Sinrock Ferry Snake River Bridge Snake River Bridge Route 28 Route 28 Route 28 Route 35, first section. Route 35, second section Route 38A, second section Route 38B, second section Route 38B Route 49. Route 40. Route 42. Route 45. Fairbanks Bridge. Flagging Trails Kahiltna Bridge. Kile 201, Road Archangel Road	5,013.6 2,669.0 300.0 975.0 37,217.
Route 28 Route 29 Route 35, first section. Route 35, second section. Route 38A, first section. Route 38A, second section. Route 38A, second section. Route 38B, second section. Route 38B Route 39. Route 40. Route 42. Route 42. Route 45. Fairbanks Bridge. Flagging Trails. Kahiltna Bridge. Mile 201, Road. Archangel Road. Archangel Road.	2,669.0 300.0 975.0 37,217.
Route 28 Route 29 Route 35, first section. Route 35, second section. Route 38A, first section. Route 38A, second section. Route 38A, second section. Route 38B, second section. Route 38B Route 39. Route 40. Route 42. Route 42. Route 45. Fairbanks Bridge. Flagging Trails. Kahiltna Bridge. Mile 201, Road. Archangel Road. Archangel Road.	2,669.0 300.0 975.0 37,217.
Houte 28 Boute 35, first section. Route 35, first section. Route 38A, first section. Route 38A, second section. Route 38A, second section. Route 38A, second section. Route 38B. Route 38B. Route 49. Route 40. Route 42. Route 45. Fairbanks Bridge. Flagging Trails. Kahiltna Bridge. Mile 24, Road. Archancel Road.	300. (975.) 37, 217.
Route 38A, 1818 Section Route 38A, second section Route 38A, third section Route 38B Route 39 Route 40 Route 42 Route 44. Route 45. Fairbanks Bridge Flagging Trails Kahiltna Bridge Mile 2th Road Archancel Road	37,217.
Route 38A, 1818 Section Route 38A, second section Route 38A, third section Route 38B Route 39 Route 40 Route 42 Route 44. Route 45. Fairbanks Bridge Flagging Trails Kahiltna Bridge Mile 2th Road Archancel Road	37,217.
Route 38A, 1818 Section Route 38A, second section Route 38A, third section Route 38B Route 39 Route 40 Route 42 Route 44. Route 45. Fairbanks Bridge Flagging Trails Kahiltna Bridge Mile 2th Road Archancel Road	37,217.
Route 38A, 1818 Section Route 38A, second section Route 38A, third section Route 38B Route 39 Route 40 Route 42 Route 44. Route 45. Fairbanks Bridge Flagging Trails Kahiltna Bridge Mile 2th Road Archancel Road	37,217.
Route 42 Route 44 Route 45 Fairbanks Bridge Flagging Trails Kahiltna Bridge Mile 201, Road Archance Road	
Route 42 Route 44 Route 45 Fairbanks Bridge Flagging Trails Kahiltna Bridge Mile 201, Road Archance Road	
Route 42 Route 44 Route 45 Fairbanks Bridge Flagging Trails Kahiltna Bridge Mile 201, Road Archance Road	
Route 42 Route 44 Route 45 Fairbanks Bridge Flagging Trails Kahiltma Bridge Mile 204 Archanuel Road	
Route 42. Route 44. Route 45. Fairbanks Bridge. Flagring Trails Kahiltma Bridge. Mile 202. Road. Archanuel Road.	
Route 45. Fairbanks Bridge. Flagging Trails Kahiltna Bridge. Mile 262, Road. Archannel Road.	
Fairbanks Bridge. Flagring Trails Kahiltna Bridge. Mile 201, Road. Archanuel Road.	
riageng Trais Kahiltna Bridge Mile 20: Road Archangel Road	
Archangel Road	
Archangel Road	7 006
Menangei Road	1, 134.
Marsholl Pond	4,662.
Illiamna Da-2	7,906. 1,134. 4,662. 6,781. 20,471.
Matanuska Bridge	20, 471.
Kuskulana Bridge	302. 1,999.
Matanuska Bridge Kuskulana Bridge Stikine River Trail Talkeetna-Cache Creek Trail	4,634.
Total.	322, 591.
DISTRIBUTION OF EXPENI	
Salaries (superintendents and clerks)	
Transportation (persons). Transportation (freight). Hire of animals (horses and dogs). Subsistence (person, meals, and beds). Provisions (all fand amplies).	
Hire of animals (horses and doos)	
Subsistence (person moals and heds)	
Provisions (all food supplies)	
Forage and 100d supplies)	err aumm
Telegraph telephone and negters	-, ~~rr.
Fuel 7-PH, telephone, and postage	
Telegraph, telephone, and postage Fuel (coal and wood) and light Construction metarial	
Construction material Equipment, tools, camp equipage, wagons, harness Stationery and drafting supplies, maps, printing articles.	atc.
Stationers, tools, camp equipage, wagons, names	e alasm
articles and drafting supplies, maps, printing	s, cream
articles. Rents (cm.	
Motor realizes, post-office boxes, barns, or equipme	31 (C.)
3.574 Venicios manei: montion mointonend	
Miscollanders, repairs, gas, operation, maintenant	ce
Motor vehicles, post-office boxes, barns, or equipme Miscellaneous	e

Balance on hand July 1, 1917		797. ផ្
Appropriation "Construction and maintenance of military and post roads, bridges and trails, Alaska, 1918–19"	325, 256,	000.00
Alaska fund Special appropriation. Sales of property, Alaska fund		. 16 28. 11 308. 23
Total Deposited to credit Treasurer of the United States		133. 97 28. 11
Disbursed as per tabulated statement below		105.86 020.18
Balance on hand	19,	085 🍂

EXPENDITURES IN DETAIL.

	Construction.	Maintenance.	Total.
Offices		\$6, 055. 14	\$13, 163.34 88.50
Route 1		88.50	73.00 13.000 pm
Route 2		4, 290. 52	12, 200 5
Route 2A		15, 174. 51	16, 374.5
Route 3		8, 398. 73	8,395.7
Route 4A		1, 341. 50	1,341.5
Route 4B, first section			16,864.66
Route 4B, second section	20,500.00	33, 697. 87	18, 800.0
Route 4B, third section	J		18, 533.2
Route 4C	3, 450.00	7, 535. 18	10, 985.16
Route 4D, first section	7, 050. 00	19, 654, 26	13, 372.10
Route 4D, section section	lj '		13, 332.16
Route 4E	15,000.00	4, 064. 17 11, 517. 54	19, 064.1
Route 4F		11, 517. 54	11, 517.5
Route 4G	9, 705. 16	4, 280.00	13, 985. 16
Route 4H, first section			14, 200.3
Route 4H, second section	22, 101.00	20,660.00	13, 900.00 14, 660.60
Route 4H, third section		,	
Route 4T	2,006.83	8, 470. 00	10, 4/0.0
Route 4J, first section	22, 172. 98	0 000 41	13, 903. 18 14, 950. 25
Route 4J, second section	22,172.98	6, 680. 41	14, 950.4
Route 4K, first section	ń · I	i i	14, 330.6
Route 4K, second section	43,805.71	5, 400, 71	15, 330 % 17, 450 %
Route 4K, third section		.,	16, 424. 0
Tazlına Bridge	956.01		16, 425, 01
Route 5		470.08	470.6
Route 6A		2, 832, 51	2, 832. 25
Route 6B, first section	10 750 00		12, 532.30 11, 498.30
Route 6B, second section	13, 750. 00	10, 280. 55	11, 498.0
Route 7D'			10, 530 3
Route 8		5, 262. 58	5, 204.00
Route 9		1, 434, 00	1, 434 00
Route 10	2,281.75	8, 295.34	10, 577.00
Route 11B		1,900.50	$1, \frac{900.50}{99.50}$
Route IIE		99.50	29, 19
Route 12		5, 972, 19	5, 9,2. 7
Route 13A		3, 935. 71	3, 935. 52 5, 238. 52
Route 13B	2 200 00	3, 038. 52	5, 238, 19 849, 19
Route 13C	-, -00. 00	849.19	849. 20 202. 20
Route 13D		202. 20	202. 71 909. 71
Route 13F.	85.30	824.41	909. 95
Route 131	00.00	195. 85	195.80
Route 13J		849.96	193.96 849.96
Route 13K		4, 090, 39	10, 405. 20 10, 476. 20
Route 14		4,000.00	2,400 00
Route 15	. 2, 310.20	5,066.00	5,000,00
Route 16		700.00	700.00 405.00
Route 17		405.00	405.00
Route 18		328.00	325 50
Route 20A		253.59	253.50
Route 20B		253.59	253.

EXPENDITURES IN DETAIL—continued.

ne United States: tion and maintenancs, Alaska, 1918–19".	ce of milita	ry and post	\$29, 797. 55		İ	Maintenance.	Total.
			256, 000 g	Route 20C	\$10.040.29	\$263.79	\$263.79
			31/. Ijs	Route 20D	319,949.52	21, 50	19,949.52 21,50
			, Ta	Route 2D. Route 21. Route 22. Route 23. Route 24.		1,352.82	1,352,82
d			00.18			6, 480, 21 846, 33	6, 480. 21 846. 33
				Route 24	3, 867, 63 2, 648, 24		3,867.63
			616.10	Route 25F	2,048,24	530, 00 75, 06	3, 178. 24 75. 06
of the United States			20, 133.95	Route 55G. Route Ferry sinrock Ferry sinrock Bridge Bull River Bridge Bull River Bridge		265. 40	265, 46
			⁴⁸ .1	& ZinIUCB 1. Bridge		68. 25	68. 25 99. 38
			616, 105. %	Bull Creek Bridge Snake River Bridge Snake Route 26.	5,013,65	99. 38 849. 91	5,863.56
tatement below			597, 020.	Route as		150.00	150.00
				Daill	. 2 669 09	330. 98 1,678. 88	3,000.00 1,678.88
	<i> </i>		19, 085	30. Gret section.	300,00	11,398.46	11,698.46
				second section	. 975.00	10,022.93	10,997.93
EXPENDITURES IN DI	ETAIL.		- -	that 34. That 35, first section. The 35, second section. Route 36. first section. Route 38.4. second section. Route 38.4. third section. Route 38.5. third section.	37,217.70	6,868.78	$ \left\{ \begin{array}{c} 12,140.5 \\ 14,500.00 \end{array} \right. $
	,	,		Route 38A, Second section.	3 9.,221.10	1 '	$\{17,445,9\}$
	Construction	. Maintenance.	75	Route 38A, third section Route 38B. Route 38B. Route 39. Route 40.	·	10.00 4,270.74	10.00 4,270.74
	- Should should		Tota!	Route 39		659.00	659.00
		20.055		Route 40. Route 41.	.	350.00	350.00
	\$7, 108.20	\$6, 055. 14 88, 50	\$13, 163	Route 42 Route 44		1,966.63 5,049.55	1,966.63 5,049.53
	7, 910.00	1 4 290 52	12.2m 4 16.374 5 8.394 7	Route 44. Route 45. Route 45. Fairbanks Bridge. Fairbank Trails. Flagging Trails.	1,448.03	0,010.00	1,448,0
	1,200.00	15, 174, 51 8, 398, 73	16, 37,	Fairballas Trails		4, 490. 70	4, 490. 7
		8, 398. 73 1, 341. 50	8, 398			347. 10	347, 16 7, 906, 69
	1	1	16,041 * 1	Mile A Poed	. 1, 134, 00	1, 133, 35	2, 267, 3
	20,500.00	33, 697. 87	16, 964. 8 18, 800 a 18, 500 a		4,662.50		4,662.5
	3, 450.00	7, 535. 18	18, 533, 2, 10, 985, B 13, 372, k 13, 332, k 19, 00, k	liamna Road.	6,781.52 20,471.32		6, 781, 53 20, 471, 33
	7,050.00	19, 654. 26	13 379	Matanuska Bridge.	302. 15		302.1
	15, 000.00	4 064 17	13, 332	Riskine River Trail	1,999.72 4,634.52		1,999.75 4,634.5
	l 	4,064.17 11,517.54 4,280.00	19,064.5 11,517.4 13,985.3	Talkeetna-Cache Creek ITali.	4,034.32		4,054.0.
	9, 705. 16	4, 280.00	13, 985	Total	322, 591, 73	274, 428. 45	597,020.18
	22, 101.00	20, 660. 00	14, 200 5 13, 900 0		1	1	<u> </u>
	11		14 660 ***				
	2,006.83	8, 470.00	10,476.61	DISTRIBUTION OF EXPEN	IDITURES.		
	22, 172. 98	6,680.41	10,9K 5 f				
	ĺ		14,950.5 15,330.6	Salaries (superintendents and clerks)	• • • • • • • • • •		\$25, 325. 07
	43, 805.71	5, 400. 71	17, 450.5	ser /oll other labor)			- 305 222 11
	956.01		16,424.	Transportation (persons)	• • • • • • • • • •		3, 423. 17
		470.08	470.6	Transportation (freight)			15, 730, 79
		2, 832. 51	2,832.5	Hire of animals (horses and dogs)	• • • • • • • • • • • •		41, 700. 00
	13,750.00	10, 280. 55	12, 532, 2 11, 498, 2 10, 535, 3 5, 262, 3 1, 434, 4 10, 577, 9	Subsistence (person, meals, and beds)	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • •	10, 898. 73
	10, 535. 91	5 262 59	10, 535.%	Provisions (all food supplies). Forage and care of animals (horseshoeing, veterin	arr annulia		41 105 4
	!	1, 434, 00	1, 434 as	Forage and care of animals (norseshoemy, veterin	ary supplies) - <i>-</i>	943. 02
	2, 281. 75	8, 295.34 1, 900.50	10, 577. 8	Telegraph, telephone, and postage Fuel (coal and wood) and light			1, 742, 99
			1, 900. 3a 99. 37	Construction material			28, 789. 78
	l	5, 972. 19	5, 972.1	Equipment, tools, camp equipage, wagons, harner	ag oto		25, 239. 24
		3, 935, 71	5, 972.18 3, 935.7	Stationery and drafting supplies, maps, printing	or cleaning	and toilet	20, 200. 2
	2, 200.00	3, 038. 52 849. 19	5, 238. \$ 849. b	articles			
		202.20	202.2	Rents (offices nost-office hoves harns or action	ent)		2, 434. 51
	85.30	824.41	909.7. 195.4	Rents (offices, post-office boxes, barns, or equipm Motor vehicles, repairs, gas, operation, maintenan	CA		28, 750. 7
		. 849.96	849.%	Miscellaneous			1, 581. 38
	6, 315, 47	4,090.39	10, 405, 3				
	2, 476. 20	5 066 00	2,476.1 5,066.₩	Total			597, 020, 18
		5, 066. 00 700. 00	5,000.₩ 700.₽				
		405.00	405.≇				
	1	328.00	1 343.€	Name of the Control o			