CHAINS MS 1381 CAC / T 10 S 6 C 7 R 35 W WΑ MS 1308 1986 Reset the remains of the original wood post monument inverted and alongside the alum. post and deposit a clear DEEP-1 magnet at the base of the alum. post as a memorial. Drive a steel fence post, 72 ins. long, 39 ins. in the ground, N, 1 lk. dist. Dependent Resurvey of A Portion of Mineral Survey No. 1332 (Restoring the 1922 survey by Arthur G. Blake) From cor. No. 8, C Association Placer, M.S. No. 1332, monumented with a schist stone, firmly set, 20 x 26 ins., projecting 10 ins. above ground, mkd. 8C with X on top, no other markings legible. At the corner point Cement a brass tablet, 3 1/4 ins. diam., 3 1/2-in. stem, in a drill hole, 3/4 in. diam., 3 1/2 ins. deep, mkd. MS 1332 CA C8 T 10 S R 35 W 1986 Drive a steel fence post, 72 ins. long, 12 ins. in the ground to bedrock, NW, 2 lks. dist. Cor. is located on a prominent schist rock outcrop ridge, 30 ft. high, bearing N. 26° E. and S. 26° W. From this point, cor. No. 1, E Association Placer, M.S. No. 1332, bears N. 20°59' W., 12.26 chs. dist., hereinafter described. N. 68°55' W., on line 8-1, C Association Placer, M.S. No. 1332.

CHAINS Across open, rolling tundra. 9.826 The closing cor. of secs. 13 and 18, hereinbefore described. 23.595 Point for cor. No. 1, C Association Placer, M.S. No. 1332 at rotated record bearing and record dist.; there is no remaining evidence of the original cor. monument. Set an alum. post, 30 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, encircled by a mound of stone, 2 ft. base, to the top of the alum. cap mkd. MS 1332 T 10 S CA R 36 W C1 1986 Deposit a clear DEEP-1 magnet at the base of the alum. post as a memorial. Drive a steel fence post, 72 ins. long, 30 ins. in the ground, N, 1 lk. dist. From this point, there is no remaining evidence of U.S.L.M. No. 1332, removed by persons unknown. N. 3°31' W., on line 1-2, C Association Placer, M.S. No. 1332. Across open, rolling tundra. 2.40 Arctic Creek, 48 lks. wide, 1 ft. deep, course S. 75° W. 6.732 Point for cor. No. 2, C Association Placer, M.S. No. 1332, at rotated record bearing and record dist.; there is no remaining evidence of the original cor. monument. Set an alum. post, 30 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, encircled by a mound of stone, 3 ft. base, to the top of the alum. cap mkd. T 10 S R 36 W C2 CA MS 1332 1986 Deposit a clear DEEP-1 magnet at the base of the alum. post as a memorial.

CHAINS	Drive a steel fence post, 72 ins. long, 36 ins. in the ground, S, 1 lk. dist.
	From this point, two location wood posts, $2 \ge 2$ ins., with rusted tin cans attached, loosely set, projecting 21 ins. above the ground, not mkd., bear S. 6°23' E., 36 lks. dist., on the E side of an earth mound, 3 ft. base, 1 ft. high.
	N. 77°11' E., on line 2-3, C Association Placer, M.S. No. 1332.
	Across open, rolling tundra.
13.600	The closing cor. of secs. 13 and 18, hereinbefore described.
16.068	Point for cor. No. 3, C Association Placer, identical with cor. No. 2, E Association Placer, M.S. No. 1332, at rotated record bearing and record dist.; there is no remaining evidence of the original cor. monument.
	Set an alum. post, 30 ins. long, 2 1/2 ins. diam., 30 ins. in the ground, encircled by a mound of stone, 2 ft. base, 1/2 ft. high, with alum. cap mkd.
	T 10 S
	R 35 W C2
	C3 CA EA
	MS 1332
	1986
	Deposit a clear DEEP-1 magnet at the base of the alum. post as a memorial.
	Drive a steel fence post 72 ins. long, 36 ins. in the ground, SW, 1 lk. dist.
	N. 57°37' E., on line 2-3, E Association Placer, M.S. No. 1332.
	Across open, rolling tundra.
65.485	Point for cor. No. 3, E Association Placer, M.S. No. 1332, at rotated record bearing and record dist.; there is no remaining evidence of the original cor. monument.
	Set an alum. post, 30 ins. long, 2 1/2 ins. diam., 30 ins. in the ground, encircled by a mound of stone, 2 ft. base, 1/2 ft. high with alum. cap mkd.

CHAINS	E 10.0
	T 10 S R 35 W
	\wedge
	MS 1332
i	1986
	Deposit a 5/8 in. alum. rod point, a 5/8 in. bolt, and a steel spike beneath the alum. post as a memorial.
	Drive a steel fence post, 72 ins. long, 35 ins. in the ground, SE, 1 1/2 lks. dist.
	S. 31°05' E., on line 3-4, E Association Placer, M.S. No. 1332.
	Across open, rolling tundra, through scattered willow brush.
2.00	Arctic Creek, 30 lks. wide, 1 ft. deep, course S. 25° W.
9.000	Point for cor. No. 4, E Association Placer, M.S. No. 1332, at rotated record bearing and record dist.; there is no remaining evidence of the original cor. monument.
	Set an alum. post, 30 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, encircled by a mound of stone, 1 1/2 ft. base, to the top of the alum. cap mkd.
	MS 1332 EA C4 T 10 S R 35 W
	1986
	Deposit a clear DEEP-1 magnet at the base of the alum. post as a memorial.
	Drive a steel fence post. 72 ins. long, 36 ins. in the ground, NW, 1 lk. dist.
	from this point, the original improvements
	The S end of the remains of a cut, 3 x 50 x 3 ft. deep, bears S. 57° E., 260 ft. dist., long side extends N. 18° W. (Record S. 56°38' W., 257 ft.)
	The S end of the remains of a cut, 2 x 40 x 2 ft. deep, bears S. 57 3/4° W., 300 ft. dist., long side extends N. 34° W. (Record S. 57°21' W., 296 ft.)

CHAINS	The S end of the remains of a cut, 3 x 50 x 3 ft.
	deep, bears N. 84 3/4° W., 406 ft. dist., long
	side extends West. (Record N. 84°30' W., 405 ft.)
	S. 58°55' W., on line 4-1, E Association Placer, M.S. No. 1332.
	Across open, rolling tundra, through scattered willow brush.
67.220	Cor. No. 1, E Association Placer, M.S. No. 1332, monumented with a hole, $3 \ge 5 \ge 6$ ins. deep, in the center of a mound of earth, 4 ft. base, 2 ft. high, with a wood post, $3 \ge 5 \ge 20$ ins. long, square on one end and sharp on opposite end, lying alongside, no markings legible.
	At the corner point
	Set an alum. post, 30 ins. long, 2 1/2 ins. diam., 29 ins. in
	the earth mound, with alum. cap mkd.
	MS 1332
	, EA
	\ C1
	T 10 S
	R 35 W
	1986
	Reset the wood post inverted and alongside the alum. post and
	deposit a clear DEEP-1 magnet at the base of the alum. post as a memorial.
	Drive a steel fence post, 72 ins. long, 44 ins. in the ground, NE, 1 lk. dist.
	N. 17°50' W., on a portion of line 1-2, E Association Placer, M.S. No. 1332.
	Across open, rolling tundra, through scattered willow brush.
2.694	Point for cor. No. 4, C Association Placer, M.S. No. 1332, at rotated record bearing and record dist., there is no remaining evidence of the original cor. monument.
	Set an alum. post, 30 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, encircled by a mound of stone, 2 ft. base, to the top of the alum. cap mkd.

CHADIC	
CHAINS	CA EA MS 1332
	C4 MS 1332
	T 10 S
	R 35 W
	1986
	Deposit a clear DEEP-1 magnet at the base of the alum. post as a memorial.
	Drive a steel fence post, 72 ins. long, 29 ins. in the ground, SE, 1 lk. dist.
	from this point, the original improvements
	The N end of the remains of a cut, 3 x 40 x 3 ft. deep, bears N. 71 3/4° E., 180 ft. dist., long side extends S. 20° E. (Record N. 71° E., 181 ft.)
	The N end of the remains of a cut, 2 x 65 x 1 ft. deep, bears N. 72 1/2° E., 168 ft. dist., long side extends S. 13° E. (Record N. 71° E., 169 ft.)
	The N end of the remains of a cut, 3 x 44 x 2 ft. deep, bears N. 73° E., 157 ft. dist., long side extends S. 20° E. (Record N. 72° E., 156 ft.)
	The N end of the remains of a cut, 2 x 36 x 3 ft. deep, bears S. 89 3/4° E., 106 ft. dist., long side extends S. 10° W. (Record N. 78° E., 104 ft.)
	The W end of the remains of a cut, 3 x 50 x 1 ft. deep, bears N 30 1/2° W., 240 ft. dist., long side extends N. 10° E. (Record N. 30°30' W., 244 ft.)
	The W end of the remains of a cut, 3 x 35 x 1/2 ft. deep, bears N. 24 3/4° W., 198 ft. dist., long side extends N. 22° E. (Record N. 27°30' W., 200 ft.).
	S. 67°07' W., on line 4-5, C Association Placer, M.S. No. 1332.
ļ	Across open, rolling tundra.
4.300	The closing cor. of secs. 13 and 18, hereinbefore described.
6.670	Point for cor. No. 5, C Association Placer, M.S. No. 1332, at rotated record bearing and record dist., there is no remaining evidence of the original cor. monument.

CHAINS Set an alum. post, 30 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with alum. cap mkd. MS 1332 🦯 C5 T 10 S CA R 36 W 1986 Deposit a clear DEEP-1 magnet at the base of the alum. post as a memorial. Drive a steel fence post, 72 ins. long, 36 ins. in the ground, SE, 1 lk. dist. from this point, an original improvement The S end of the remains of a cut, $3 \times 60 \times 2$ ft. deep, bears S. 89° W., 93 ft. dist., long side extends N. 51° W. (Record S. 86° W., 95 ft.) S. 61°19' E., on line 5-6, C Association Placer, M.S. No. 1332. Across open, rolling tundra. 0.35 Old wagon trail, 13 lks. wide, bears E and W. 2.489 The closing cor. of secs. 13 and 18, hereinbefore described. 41.167 Point for cor. No. 6, C Association Placer, identical with cor. No. 1, G Association Placer, M.S. No. 1332, at rotated record bearing and record dist.; there is no remaining evidence of the original cor. monument. Set an alum. post, 30 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, encircled by a mound of stone, 2 ft. base, to the top of the alum. cap mkd. T 10 S R 35 W C6 C1 CA GA MS 1332 1986 from which The remains of a ruined cast iron stove, bears W, 1.30 chs. dist.

CHAINS	Deposit pieces of broken cast iron around the alum. post and a
	clear DEEP-1 magnet at the base of the alum. post as a memorial.
	Drive a steel fence post, 72 ins. long, 46 ins. in the ground, S, 1 lk. dist.
	S, I IK. dist.
	from this point, an original improvement
	The northerly end of an abandoned water ditch,
	3 ft. wide, 2 ft. deep, 211 ft. long, to the
	confluence with Mammoth Creek, bears S. 23° E.,
	203 ft. dist.
	N. 69°52' E., on line 1-2, G Association Placer, M.S. No. 1332.
	Across open, rolling tundra, through scattered willow brush.
55.629	Point for cor. No. 2, G Association Placer, M.S. No. 1332, at
	rotated record bearing and record dist.; there is no remaining
	evidence of the original cor. position. The original wood post, 4 ins. sq., 40 ins. long, mkd. 2-G-1332 was found nearby lying
	on top of the ground, in a disturbed condition.
ĺ	
	Set an alum. post, 30 ins. long, 2 1/2 ins. diam., 29 ins. in the ground, with alum. cap mkd.
	T 10 S
	R 35 W
	GA MS 1332
	1986
	Reset the original wood post monument inverted and alongside the
	alum. post and deposit a clear DEEP-1 magnet at the base of the
	alum. post as a memorial.
	Drive a steel fence post, 72 ins. long, 37 ins. in the ground,
	N, 1 lk. dist.
	S. 2°17' E., on line 2-3, G Association Placer, M.S. No. 1332.
	Across open, rolling tundra, through scattered willow brush.
10.80	Mammoth Creek, 8 lks. wide, 2 ft. deep, course N. 30° W.
17.689	Point for cor. No. 3, G Association Placer, M.S. No. 1332, at
	rotated record bearing and record dist.; there is no remaining
	evidence of the original cor. monument.

CHAINS Set an alum. post, 30 ins. long, 2 1/2 ins. diam., 30 ins. in the ground, encircled by a mound of stone, 1 ft. base, to the top of the alum. cap mkd. MS 1332 T 10 S GA R 35 W C3 1986 Deposit a clear DEEP-1 magnet at the base of the alum. post as a memorial. Drive a steel fence post, 72 ins. long, 37 ins. in the ground, N, 1 lk. dist. S. 79°41' W., on line 3-4, G Association Placer, M.S. No. 1332. Across open, rolling tundra, through scattered willow brush. Bluff Creek, 15 lks. wide, 2 ft. deep, course N. 70° W. 51.05 53.455 Point for cor. No. 4, G Association Placer, identical with cor. No. 7, C Association Placer, M.S. No. 1332, at rotated record bearing and record dist.; there is no remaining evidence of the original cor. monument. Set an alum. post, 30 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, encircled by a mound of stone, 2 ft. base, to the top of the alum. cap mkd. MS 1332 CA GA C7C4T 10 S R 35 W 1986 Deposit a clear DEEP-1 magnet at the base of the alum. post as a memorial. Drive a steel fence post, 72 ins. long, 36 ins. in the ground, NE, 1 lk. dist. N. 56°45' W., on line 7-8, C Association Placer, M.S. No. 1332. Across open, rolling tundra, through scattered willow brush. Cor. No. 8, C Association Placer, M.S. No. 1332, hereinbefore 30.030 described.

358 26

TOWNSHIP 10 SOUTH, RANGE 35 WEST KATEEL RIVER MERIDIAN, ALASKA

CHAINS	GENERAL DESCRIPTION
	The land encompassed within this township is located approximately 12 miles northwesterly from the City of Nome. Access is by way of Nome-Teller Road.
	The township is drained by Penny River and Cripple River flowing southerly through the township.
	Elevations range from approximately 50 to 1,800 feet above mean sea level.
	There are abandoned placer mining works along Arctic Creek, Bluff Creek, Sunset Creek and Penny River.
	The township is included within U.S. Geological Survey quadrangle maps "NOME (C-2)", Alaska, 1950 edition, with minor revisions in 1973.

L