


PREPARED BY THE
 STATE OF ALASKA
 DEPARTMENT OF HIGHWAYS
 PLANNING & RESEARCH SECTION
 IN COOPERATION WITH
 U.S. DEPARTMENT OF COMMERCE
 BUREAU OF PUBLIC ROADS

LOCATION

FROM THE JUNCTION WITH FAP ROUTE 95 ON DOUGLAS ISLAND, NORTHERLY, WESTERLY AND SOUTHERLY AROUND DOUGLAS ISLAND TO POINT HILDA.

END ROUTE 959
 POINT HILDA



FAS 959

NORTH DOUGLAS ROAD

- GENERAL LEGEND**
- CONST. & RECONST. ON EXISTING ROAD
 - ORIGINAL CONST. & RELOCATION
 - PRELIMINARY ENGINEERING & RIGHT OF WAY
 - BRIDGE CONSTRUCTION
 - MISCELLANEOUS CONSTRUCTION NOT INVOLVING ROWY.

NOTE:

MAP SCALE 1"=2 MILES

FIGURES SHOWN IN PARENTHESIS DENOTES RETIRED MILEAGE.


ALL BRIDGE INFORMATION OBTAINED FROM ANNUAL BRIDGE INVENTORY RATING REPORT.

PROJECT DATA & MILEAGE OBTAINED FROM CONTRACTS & CONSTRUCTION PLANS.

SEE PUBLISHED GENERAL HIGHWAY MAPS FOR IDENTIFICATION OF MAP FEATURES.

CONSTRUCTION RECORD UPDATED FEB. 1968

YEAR BUILT	PROJECT NUMBER	DESCRIPTION				TYPE OF OPERATION
		TYPE	WIDTH	THICK	OR	
1941	FH31-A6 C	GRADE	18'	16"	4"	ORIGINAL CONSTRUCTION
1954	FH31-D	GRAVEL (2010)				ORIGINAL CONSTRUCTION
1954	FH31-D	DRAIN (0011)	22'			ORIGINAL CONSTRUCTION
1956	FH31-E	GRAVEL (0011)				ORIGINAL CONSTRUCTION
1956	FH31-E	DRAIN (0011)	22'			ORIGINAL CONSTRUCTION
1963	S-0959(2)					PRELIMINARY ENGINEERING
1966	S-0959(3)					PRELIMINARY ENGINEERING
1966	S-0959(1)	GRADE DRAIN (6201)	34'	24'	2"	RIGHT OF WAY CONSTRUCTION
1967	FH-31-1(2)	GRAVEL (2010)	34'		12"	ORIGINAL CONSTRUCTION
1967	FH-31-1(3)	SHORE PROTECTION				



MAINTENANCE STATION & CONTROL SECTION NUMBERS

FOREST HIGHWAY ROUTE NUMBER & MILEAGE

FROM	TO	TOTAL MILES	RURAL	MUNICIPAL	FED AID SYSTEM	REMARKS
1966	8.735	8.645	0.090	8.645	0.090	REMARKS: ROUTE INCLUDES 9.273 MILES (PROPOSED) TOTAL FEDERAL AID MILEAGE 21.635
1967	12.362	12.272	0.090	12.272	0.090	

RR. NO.	TRACKS	SPEED (MPH)	PROTECTION	MOVEMENTS	REMARKS


YEAR	BRIDGE NO.	LENGTH	TYPE	SURF WIDTH
1941	870	136/00	TTS/TLT	22/09
1966	353	144/00	SSC/RC	24/00

YEAR	TYPE OF ROAD					TOTAL	
	UNSURFACED	SURFACED					
	A, B	C	D, E	F	G-1, H-1	G-2, H-2, I	J, K, L
1966		5,120				3,815	8,735
1967		8,742				3,815	12,362

TOTAL FH MILEAGE 21.635


PREPARED BY THE STATE OF ALASKA DEPARTMENT OF HIGHWAYS PLANNING & RESEARCH DIVISION IN COOPERATION WITH U.S. DEPARTMENT OF TRANSPORTATION FEDERAL HIGHWAY ADMINISTRATION BUREAU OF PUBLIC ROADS

LOCATION FROM THE JUNCTION WITH FAP ROUTE 95, 0.5 MILE NORTH OF THE JUNEAU AIRPORT, NORTHERLY AND WESTERLY TO THE JUNCTION WITH FAP ROUTE 95 AT AUKE BAY WITH A SPUR TO THE PARKING AREA NEAR THE MENDENHALL GLACIER VISITOR CENTER.



CONSTRUCTION RECORD

Table with columns: YEAR BUILT, PROJECT NUMBER, TYPE, DESCRIPTION, WIDTH, THICK, TYPE OF OPERATION. Lists construction projects from 1920 to 1963.



- GENERAL LEGEND: CONST. & RECONST. ON EXISTING ROAD, ORIGINAL CONST. & RELOCATION, PRELIMINARY ENGINEERING & RIGHT OF WAY, BRIDGE CONSTRUCTION, MISCELLANEOUS CONSTRUCTION NOT INVOLVING ROW.

NOTE: MAP SCALE 2.5"=1 MILE. FIGURES SHOWN IN PARENTHESIS DENOTES RETIRED MILEAGE. ALL BRIDGE INFORMATION OBTAINED FROM ANNUAL BRIDGE INVENTORY RATING REPORT. PROJECT DATA & MILEAGE OBTAINED FROM CONTRACTS & CONSTRUCTION PLANS. SEE PUBLISHED GENERAL HIGHWAY MAPS FOR IDENTIFICATION OF MAP FEATURES.

TOTAL FH MILEAGE 7.907


Summary tables for STATE SYSTEM, FED AID SYSTEM, RR. NO., TRACKS, SPEED (MPH), PROTECTION, MOVEMENTS, REMARKS, and TYPE OF ROAD (UNSURFACED/SURFACED).

FAS 966 MENDENHALL LOOP & SPUR

STATE OF ALASKA
DEPARTMENT OF HIGHWAYS
PLANNING & RESEARCH DIVISION
IN COOPERATION WITH
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
BUREAU OF PUBLIC ROADS

LOCATION

FROM THE JUNCTION WITH FAP ROUTE 95 APPROXIMATELY 2 MILES NORTHWEST OF THE JUNEAU AIRPORT, SOUTHERLY AND NORTHERLY ALONG THE SHORE OF MENDENHALL PENINSULA TO THE JUNCTION WITH FAP ROUTE 95 AUKE LAKE.



FAS 970

MENDENHALL PENINSULA-FRITZ COVE

- GENERAL LEGEND**
- CONST. & RECONST. ON EXISTING ROAD
 - ORIGINAL CONST. & RELOCATION
 - PRELIMINARY ENGINEERING & RIGHT OF WAY
 - BRIDGE CONSTRUCTION
 - MISCELLANEOUS CONSTRUCTION NOT INVOLVING RDWY.

NOTE:

MAP SCALE 2.5"=1 MILE

FIGURES SHOWN IN PARENTHESIS DENOTES RETIRED MILEAGE.

ALL BRIDGE INFORMATION OBTAINED FROM ANNUAL BRIDGE INVENTORY RATING REPORT.

PROJECT DATA & MILEAGE OBTAINED FROM CONTRACTS & CONSTRUCTION PLANS.

SEE PUBLISHED GENERAL HIGHWAY MAPS FOR IDENTIFICATION OF MAP FEATURES.

YEAR BUILT	PROJECT NUMBER	TYPE	WIDTH				THICK	TYPE OF OPERATION
			ROW	SURF	SURF	BASE		
		CLEAR. GRADE DRAIN						NO RECORD ORIGINAL CONSTRUCTION
1960	INVENTORY	GRAVEL (2010)	22'					INVENTORY
1960	INVENTORY	GRADE DRAIN (0010)	14'					INVENTORY
1960	INVENTORY	GRADE DRAIN (0010)	20'					INVENTORY
1962	S-0970(1)							PRELIMINARY ENGINEERING
1966	S-0970(2)	GR. DR. PAVE (6201)	28'	24'	2"	6"		R/W.U. RECONSTRUCTION

YEAR	PROJECT NUMBER	TYPE	WIDTH	THICK	TYPE OF OPERATION	MAINTENANCE STATION & CONTROL SECTION NUMBERS
			2.218		PROPOSED	329701 (JUNEAU)
			1.136		INVENTORY	
			1.500		PROPOSED	
			1.082		INVENTORY	
			0.733		INVENTORY	
			2.643		INVENTORY	
			1.960		INVENTORY	
			2.564 (-0.129)		INVENTORY	

FOREST HIGHWAY ROUTE NUMBER & MILEAGE		STATE SYSTEM		FED AID SYSTEM		REMARKS
YEARS FROM	TOTAL MILES TO	RURAL	MUNICIPAL	RURAL	URBAN	
1966	4.782	4.782		4.782		ROUTE INCLUDES 1.500 MILES PROPOSED TOTAL FEDERAL AID MILEAGE 6.282

RR. NO.	TRACKS	SPEED (MPH)	PROTECTION	MOVEMENTS	REMARKS

YEAR	BRIDGE NO.	LENGTH	TYPE	SURF WIDTH


YEAR	UNSURFACED		SURFACED		TOTAL
	A, B	C	D, E	F	
1966		1.082	1.136	2.564	4.782

TYPE OF ROAD					
G-1, H-1	G-2, H-2, I	J, K, L	TOTAL		

TOTAL FH MILEAGE 0.0

PREPARED BY THE
STATE OF ALASKA
DEPARTMENT OF HIGHWAYS
PLANNING & RESEARCH DIVISION
IN COOPERATION WITH
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
BUREAU OF PUBLIC ROADS
LOCATION

FROM THE JUNCTION WITH FAP ROUTE 95 APPROXIMATELY
0.3 MILE WEST OF HAINES, SOUTHEASTERLY VIA PORT
CHILKOOT TO MUD BAY.



FAS 987

MUD BAY ROAD


GENERAL LEGEND

- CONST. & RECONST. ON EXISTING ROAD
- ORIGINAL CONST. & RELOCATION
- PRELIMINARY ENGINEERING & RIGHT OF WAY
- BRIDGE CONSTRUCTION
- MISCELLANEOUS CONSTRUCTION NOT INVOLVING RDWY.

NOTE:

- MAP SCALE 1"=2 MILES
- FIGURES SHOWN IN PARENTHESIS DENOTES RETIRED MILEAGE.
- ALL BRIDGE INFORMATION OBTAINED FROM ANNUAL BRIDGE INVENTORY RATING REPORT.
- PROJECT DATA & MILEAGE OBTAINED FROM CONTRACTS & CONSTRUCTION PLANS.
- SEE PUBLISHED GENERAL HIGHWAY MAPS FOR IDENTIFICATION OF MAP FEATURES.
- CONSTRUCTION RECORD UPDATED
JUNE, 1967
FEB. 1968

YEAR BUILT	PROJECT NUMBER	TYPE	DESCRIPTION			TYPE OF OPERATION	
			WIDTH	THICK			
			RDWY	SURF	BASE		
		CLEAR, GRADE,				NO RECORD	
		DRAIN (001)				ORIGINAL CONSTRUCTION	
1951	ARC	PAVE (4241)	28'	20"	1 1/2"	4"	RECONSTRUCTION
1951		GRAVEL (2010)	24'	18"			RECONSTRUCTION



MAINTENANCE STATION & CONTROL SECTION NUMBERS

(1) (2) (3) ← 329874 (HAINES)

(1) 329871 (HAINES)
(2) 329872 (HAINES)
(3) 329873 (HAINES)

FOREST HIGHWAY ROUTE NUMBER & MILEAGE		STATE SYSTEM		FED AID SYSTEM		REMARKS
FROM	TO	TOTAL MILES	RURAL	MUNICIPAL	RURAL	
1966		9.086	7.692	1.394	9.086	
TOTAL FEDERAL-AID MILEAGE 9.086						

RR. NO.	TRACKS	SPEED (MPH)	PROTECTION	MOVEMENTS	REMARKS


YEAR	TYPE OF ROAD						TOTAL
	UNSURFACED			SURFACED			
	A, B	C	D, E	F	G-1, H-1	G-2, H-2, I	J, K, L
1966			8.100		0.986		
							9.086

TOTAL FH MILEAGE 0.0

PREPARED BY THE
STATE OF ALASKA
DEPARTMENT OF HIGHWAYS
PLANNING & RESEARCH DIVISION
IN COOPERATION WITH
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
BUREAU OF PUBLIC ROADS

LOCATION

FROM THE JUNCTION WITH FAP ROUTE 95 AT THE HAINES FERRY TERMINAL, NORTHWESTERLY ALONG LUTAK INLET TO CHILKOOT LAKE, WITH A SPUR EASTERLY ACROSS CHILKOOT RIVER.



FAS 991

LUTAK ROAD

GENERAL LEGEND

- CONST. & RECONST. ON EXISTING ROAD
- ORIGINAL CONST. & RELOCATION
- PRELIMINARY ENGINEERING & RIGHT OF WAY
- BRIDGE CONSTRUCTION
- MISCELLANEOUS CONSTRUCTION NOT INVOLVING RDWY.

NOTE:

MAP SCALE 1" = 2 MILES

FIGURES SHOWN IN PARENTHESIS DENOTES RETIRED MILEAGE.


ALL BRIDGE INFORMATION OBTAINED FROM ANNUAL BRIDGE INVENTORY RATING REPORT.

PROJECT DATA & MILEAGE OBTAINED FROM CONTRACTS & CONSTRUCTION PLANS.

SEE PUBLISHED GENERAL HIGHWAY MAPS FOR IDENTIFICATION OF MAP FEATURES.

CONSTRUCTION RECORD UPDATED
JUNE 1967
FEB. 1968

YEAR BUILT	PROJECT NUMBER	TYPE	DESCRIPTION				TYPE OF OPERATION
			WIDTH	THICK	ROW	BASE	
		CLEAR, GRADE					NO RECORD
		DRAIN (001)	14'				ORIGINAL CONSTRUCTION
		GRAVEL (2010)	20'				NO RECORD ORIGINAL CONSTRUCTION
1958	S-0991 (1)	GRADE, DRAIN (001)	20'				PRELIMINARY ENGINEERING ROW, RECONST.



MAINTENANCE STATION & CONTROL SECTION NUMBERS

FOREST HIGHWAY ROUTE NUMBER & MILEAGE

FROM	TO	TOTAL MILES	STATE SYSTEM		FED AID SYSTEM		REMARKS
			RURAL	MUNICIPAL	RURAL	URBAN	
1966		6.809	6.809			6.809	TOTAL FEDERAL AID MILEAGE 6.809

RR. NO.	TRACKS	SPEED (MPH)	PROTECTION	MOVEMENTS	REMARKS

YEAR	BRIDGE NO.	LENGTH	TYPE	SURF. WIDTH
	387	223/05	LOG. TP	12/05

YEAR	TYPE OF ROAD						TOTAL	
	UNSURFACED			SURFACED				
	A, B	C	D, E	F	G-1, H-1	G-2, H-2, I	J, K, L	
1966		6.809						6.809

TOTAL FH MILEAGE 0.0

PREPARED BY THE
STATE OF ALASKA
DEPARTMENT OF HIGHWAYS
PLANNING & RESEARCH DIVISION
IN COOPERATION WITH
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
BUREAU OF PUBLIC ROADS

LOCATION

FROM THE JUNCTION WITH FAS ROUTE 999 NORTH OF THE
SKAGWAY RIVER, SOUTHWESTERLY TO TAIYA INLET,
THENCE NORTHWESTERLY TO THE TAIYA RIVER AT A POINT
APPROXIMATELY 1.2 MILES NORTH OF THE TAIYA RIVER
BRIDGE.





DIAGRAM SCALE
1" = 1 MILE



FAS 997 TAIYA ROAD

GENERAL LEGEND

- CONST. & RECONST. ON EXISTING ROAD
- ORIGINAL CONST. & RELOCATION
- PRELIMINARY ENGINEERING & RIGHT OF WAY
- BRIDGE CONSTRUCTION
- MISCELLANEOUS CONSTRUCTION NOT INVOLVING ROW.

NOTE:

- MAP SCALE 1" = 2 MILES
- FIGURES SHOWN IN PARENTHESIS DENOTES RETIRED MILEAGE.
- ALL BRIDGE INFORMATION OBTAINED FROM ANNUAL BRIDGE INVENTORY RATING REPORT.
- PROJECT DATA & MILEAGE OBTAINED FROM CONTRACTS & CONSTRUCTION PLANS.
- SEE PUBLISHED GENERAL HIGHWAY MAPS FOR IDENTIFICATION OF MAP FEATURES.

CONSTRUCTION RECORD

YEAR BUILT	PROJECT NUMBER	TYPE	DESCRIPTION				TYPE OF OPERATION
			WIDTH	THICK	EDDY	BASE	
		CLEAR, GRADE					NO RECORD
		DRAIN (0011)	16'				ORIGINAL CONSTRUCTION
1958	S-0997 (1)	GRADE, DRAIN (0011)	16'				RECONSTRUCTION
	S-0997 (2)						PRELIMINARY ENGINEERING

MAINTENANCE STATION & CONTROL SECTION NUMBERS

FOREST HIGHWAY ROUTE NUMBER & MILEAGE

YEARS FROM	YEARS TO	TOTAL MILES	STATE SYSTEM RURAL	STATE SYSTEM MUNICIPAL	FED AID SYSTEM RURAL	FED AID SYSTEM URBAN	REMARKS
1966		8.328	7.128	1.200	8.328		TOTAL FEDERAL AID MILEAGE 8.328

RR. NO.	TRACKS	SPEED (MPH)	PROTECTION	MOVEMENTS	REMARKS

YEAR	BRIDGE NO.	LENGTH	TYPE	SURF WIDTH
	309	200/00	ST/TPR	12/09

YEAR	UNSURFACED A, B	UNSURFACED C	UNSURFACED D, E	UNSURFACED F	SURFACED G-1, H-1	SURFACED G-2, H-2, I	SURFACED J, K, L	TOTAL
1966		8.328						8.328


TOTAL FH MILEAGE 0.0

329971
(SKAGWAY)


FAS 999

PREPARED BY THE
STATE OF ALASKA
DEPARTMENT OF HIGHWAYS
PLANNING & RESEARCH DIVISION
IN COOPERATION WITH
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION
BUREAU OF PUBLIC ROADS

LOCATION
FROM THE FAP ROUTE 97 FERRY TERMINAL AT SKAGWAY,
NORTHEASTERLY, VIA THE TOWN OF SKAGWAY TO A POINT
NEAR THE CONFLUENCE OF THE WHITE PASS FORK AND
THE SKAGWAY RIVER.



YEAR BUILT	PROJECT NUMBER	DESCRIPTION	WIDTH				THICK BASE	TYPE OF OPERATION
			ROW	SURF	SURF	BASE		
		CLEAR, GRADE, DRAIN (0010)					NO RECORD ORIGINAL CONSTRUCTION	
1960		GRAVEL (2010)	30'	24'			INVENTORY	
1960		GRADE, DRAIN (0010)	20'				INVENTORY	
1960		GRADE, DRAIN (0010)	10'				INVENTORY	
1958	S-0999 (1)	GRADE, DRAIN (0010)	10'				RECONSTRUCTION	
1960	S-0999 (2)						PRELIMINARY ENGINEERING RIGHT OF WAY	
1962	S-0999 (3)	GRADE, DRAIN (0010)	28'				ORIGINAL CONSTRUCTION	
1963	S-0999 (4)	FERRY TERMINAL, GRADE, DRAIN, PAVE (6201)	32'	22'	2"	6"	RIGHT OF WAY RECONSTRUCTION	
1964	S-0999 (5)	BIT CONC. CURB & GUTTER (6201)	41'	2"	6"		RIGHT OF WAY	
1966	S-0999 (7)						RIGHT OF WAY	
1967	S-0999 (6)	GRADE, DRAIN (0011)	28'		12"		PRELIMINARY ENGINEERING CONSTRUCTION	
	S-0997(2)						PRELIMINARY ENGINEERING	



- GENERAL LEGEND**
- CONST. & RECONST. ON EXISTING ROAD
 - ORIGINAL CONST. & RELOCATION
 - PRELIMINARY ENGINEERING & RIGHT OF WAY
 - BRIDGE CONSTRUCTION
 - MISCELLANEOUS CONSTRUCTION NOT INVOLVING RDWY.

NOTE:
MAP SCALE 1"=2 MILES
FIGURES SHOWN IN PARENTHESIS DENOTES RETIRED MILEAGE.
ALL BRIDGE INFORMATION OBTAINED FROM ANNUAL BRIDGE INVENTORY RATING REPORT.
PROJECT DATA & MILEAGE OBTAINED FROM CONTRACTS & CONSTRUCTION PLANS.
SEE PUBLISHED GENERAL HIGHWAY MAPS FOR IDENTIFICATION OF MAP FEATURES.
CONSTRUCTION RECORD UPDATED FEB. 1968

YEARS		TOTAL MILES	STATE SYSTEM		FED AID SYSTEM		REMARKS:
FROM	TO		RURAL	MUNICIPAL	RURAL	URBAN	
1966		5.649	3.532	2.117	5.649		ROUTE INCLUDES 5,300 MILES PROPOSED TOTAL FEDERAL AID MILEAGE 10.969
1967		5.669	3.552	2.117	5.669		

RR. NO.	TRACKS	SPEED (MPH)	PROTECTION	MOVEMENTS	REMARKS
RI	2				

YEAR	TYPE OF ROAD					TOTAL	
	UNSURFACED		SURFACED				
	A, B	C	D, E	F	G-1, H-1	G-2, H-2, I	J, K, L
1966		3.532	0.640			1.477	5.649
1967		3.552	0.640			1.477	5.669

TOTAL FH MILEAGE 0.0